



# MILLWORK CATALOG

---

DOORS

2024 EDITION



# TABLE OF CONTENTS

## INTERIOR DOORS

<b>CLEAR PINE</b>	
INTERIORS .....	11
<b>HOLLOW CORE</b>	
SLABS & BI-FOLDS .....	6
<b>KNOTTY PINE</b>	
INTERIORS .....	12
<b>MDF</b>	
SLABS .....	10
<b>POCKET FRAMES</b>	
INTERIORS .....	13
<b>SOLID CORE</b>	
SLABS .....	8

## EXTERIOR DOORS

<b>CLARITY VIEW</b>	
SWITCHABLE GLASS .....	38
<b>FIBERGLASS DOORS</b>	
OPAQUE SLABS .....	16
1 LITE .....	17
BLINDS .....	18
EXTERNAL GRIDS .....	19
INTERNAL GRIDS .....	20
NOUVEAU .....	22
TEXAS STAR .....	23
MISC .....	24
FLUSH GLAZED (VISTA GRANDE) .....	26
PRE-FINISHED (SIGNAMARK) .....	27
<b>METAL DOORS</b>	
OPAQUE SLABS .....	28
1 LITE .....	29
BLINDS .....	30
EXTERNAL GRIDS .....	31
INTERNAL GRIDS .....	32
NOUVEAU .....	33
TEXAS STAR .....	34
MISC .....	35
<b>WOOD DOORS</b>	
MAHOGANY/KNOTTY ALDER .....	36

## DOOR COMPONENTS

<b>DOOR COMPONENTS</b>	
DOOR HINGE OPTIONS / VENTS .....	40
WOOD DOOR ACCESSORIES / PET DOOR .....	41
INTERIOR/EXTERIOR JAMBS .....	42
SILLS .....	43
SILLS & SILL COMPONENTS .....	44

## DOOR INFORMATION

<b>DOOR HANDING GUIDE</b>	
INSWING .....	48
OUTSWING .....	49
<b>MOLDED DOOR CUTDOWN RANGES</b>	
JELD-WEN .....	50
<b>SIZES &amp; ROUGH OPENINGS</b>	
INTERIOR DOOR UNITS .....	46

## GLASSCRAFT®

<b>BARNCRAFT®</b>	
SLIDING DOORS .....	58
<b>FIBERCRAFT®</b>	
COMPOSITE DOORS .....	56
<b>WOODCRAFT®</b>	
HARDWOOD DOORS .....	57

## PATIO DOORS

<b>ATRIUM</b>	
SERIES 312 - SLIDING PATIO DOOR .....	62
SERIES 332 - SLIDING PATIO DOOR .....	63
<b>MI WINDOWS &amp; DOORS</b>	
V2000 PATIO DOOR .....	64
V3000 MULTI-SLIDE PATIO DOOR .....	66
<b>SHOWCASE</b>	
MULTI-PANEL SLIDING PATIO DOOR .....	68

## PREMIUM PATIO DOORS

<b>BONELLI</b>	
MULTI-SLIDE PATIO DOOR .....	75
PIVOT PATIO DOOR .....	76
<b>MI WINDOWS &amp; DOORS</b>	
V3000 MULTI-SLIDE PATIO DOOR .....	72
<b>NEUMA DOORS</b>	
PATIO DOORS .....	70
<b>WINDOR</b>	
3750 MULTI-SLIDE SYSTEM .....	71

## IRON DOORS

<b>IRON ENVY</b>	
IRON DOORS .....	78

## COMMERCIAL DOORS

<b>TELL</b>	
SPARTAN HOLLOW METAL DOORS .....	82







DOOR & MILLWORK

# INTERIOR DOORS

# HOLLOW CORE

## SLABS & BI-FOLDS



### SLABS

SIZE	THICKNESS	1 PNL MADISON	2 PNL SANTA FE	2 PNL SQ CARRARA	2 PNL RND TOP CAIMAN	2 PNL ARCH CAMDEN	2 PNL MONROE	3 PNL BIRKDALE	3 PNL BEVELED CRAFTSMAN	5 PNL ROCKPORT	6 PNL ROCKPORT	6 PNL COLONIST	HARD- BOARD	LAUAN	BIRCH
1'0 X 6'8	1-3/8"		•	•	•	◇		•	•			+	•		
1'10 X 6'8	1-3/8"			•								◇			
1'2 X 6'8	1-3/8"		•	•	•	◇		•				+	•		
1'3 X 6'8	1-3/8"		•	•	•	◇		•				+	•		•
1'4 X 6'8	1-3/8"		•	•	•	◇		•		•		+	•	•	•
1'6 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
1'8 X 6'8	1-3/8"		•	•	•	◇				•		+	•	•	•
2'0 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
2'4 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
2'6 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
2'8 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
2'10 X 6'8	1-3/8"		•	•		◇						◇		•	
3'0 X 6'8	1-3/8"	•	•	•	•	◇	•	•	•	•		+	•	•	•
1'3 X 8'0	1-3/8"		•												
1'4 X 8'0	1-3/8"		•	•	•						•				
1'6 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
1'8 X 8'0	1-3/8"		•												
2'0 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
2'4 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
2'6 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
2'8 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
3'0 X 8'0	1-3/8"	•	•	•	•		•	•			•	◇			
2'6 X 6'7	1-3/4"												•		
2'8 X 6'7	1-3/4"												•		
3'0 X 6'7	1-3/4"												•		
2'6 X 7'11	1-3/4"												•		
2'8 X 7'11	1-3/4"												•		
3'0 X 7'11	1-3/4"												•		
3'6 X 7'11	1-3/4"												•		

### BI-FOLDS

SIZE	THICKNESS	2 PNL SANTA FE	2 PNL SQ CARRARA	2 PNL RND TOP CAIMAN	2 PNL ARCH CAMDEN	3 PNL BEVELED CRAFTSMAN	6 PNL COLONIST	HARDBOARD	LAUAN	BIRCH
2'0 X 6'8	1-3/8"	•	•	•	◇	•	+	•	•	•
2'4 X 6'8	1-3/8"						◇			
2'6 X 6'8	1-3/8"	•	•	•	◇	•	+	•	•	•
2'8 X 6'8	1-3/8"		•	•	◇		◇		•	
3'0 X 6'8	1-3/8"	•	•	•	◇	•	+	•	•	•

• SMOOTH OPTION ONLY    ◇ TEXTURED OPTION ONLY    + BOTH OPTIONS



**1 PANEL  
MADISON**



**2 PANEL  
SANTA FE**




**2 PANEL SQUARE  
CARRARA**



**2 PANEL ROUND  
TOP CAIMAN**



**2 PANEL ARCH  
CAMDEN**




**2 PANEL  
MONROE**



**3 PANEL  
BIRKDALE**



**3 PANEL BEVELED  
CRAFTSMAN**



**5 PANEL  
ROCKPORT**




**6 PANEL  
ROCKPORT**



**6 PANEL  
COLONIST**



**HARDBOARD**



**LAUAN**



**BIRCH**



**2 PANEL BI-FOLD  
SANTA FE**



**2 PANEL SQUARE  
BI-FOLD CARRARA**



**2 PANEL ROUND TOP  
BI-FOLD CAIMAN**



**2 PANEL ARCH  
BI-FOLD CAMDEN**



**3 PANEL BI-FOLD  
BIRKDALE**



**3 PANEL BEVELED  
BI-FOLD  
CRAFTSMAN**



**6 PANEL BI-FOLD  
COLONIST**



**HARDBOARD  
BI-FOLD**



**LAUAN  
BI-FOLD**



**BIRCH  
BI-FOLD**

# SOLID CORE SLABS



SIZE	THICKNESS	1 PNL MADISON	2 PNL SANTA FE	2 PNL SQ CARRARA	2 PNL RND TOP CAIMAN	2 PNL ARCH CAMDEN	2 PNL MONROE	3 PNL BIRKDALE	3 P FLT/BV CRAFTSMAN	5 PNL ROCKPORT	6 PNL ROCKPORT	6 PNL COLONIST	HARD- BOARD	LAUAN	BIRCH
1'0 X 6'8	1-3/8"														
1'10 X 6'8	1-3/8"														
1'2 X 6'8	1-3/8"														
1'3 X 6'8	1-3/8"														
1'4 X 6'8	1-3/8"														
1'6 X 6'8	1-3/8"	•	•	•	•		•			•					
1'8 X 6'8	1-3/8"														
2'0 X 6'8	1-3/8"	•	•	•	•		•			•			•		•
2'4 X 6'8	1-3/8"	•	•	•	•		•			•			•		•
2'6 X 6'8	1-3/8"	•	•	•	•		•			•			•		•
2'8 X 6'7	1-3/4"	•	•	•	•	+	•	•	•	•	+	•	•	•	•
2'8 X 6'8	1-3/8"	•	•	•	•		•			•			•		•
2'8 X 6'8	1-3/4"													•	
3'0 X 6'7	1-3/4"	•	•	•	•	+	•	•	•	•	+	•	•	•	•
3'0 X 6'8	1-3/8"	•	•	•	•		•			•			•		•
3'0 X 6'8	1-3/4"													•	
1'3 X 8'0	1-3/8"														
1'4 X 8'0	1-3/8"														
1'6 X 8'0	1-3/8"	•	•	•	•		•	•			•		•		
1'8 X 8'0	1-3/8"														
2'0 X 8'0	1-3/8"	•	•	•	•		•	•			•		•		
2'4 X 8'0	1-3/8"	•	•	•	•		•	•			•		•		
2'6 X 8'0	1-3/8"	•	•	•	•		•	•			•		•		
2'8 X 7'11	1-3/4"	•	•	•	•		•	•			•	•	•		
2'8 X 8'0	1-3/8"	•	•	•	•		•	•			•	•	•		
3'0 X 7'11	1-3/4"	•	•	•	•		•	•			•	•	•		
3'0 X 8'0	1-3/8"	•	•	•	•		•	•			•	•	•		

• SMOOTH OPTION ONLY

◇ TEXTURED OPTION ONLY

+ BOTH OPTIONS





**1 PANEL  
MADISON**



**2 PANEL  
SANTA FE**



**2 PANEL SQUARE  
CARRARA**




**2 PANEL ROUND TOP  
CAIMAN**



**2 PANEL ARCH  
CAMDEN**




**2 PANEL  
MONROE**



**3 PANEL  
BIRKDALE**



**3 PANEL BEVELED  
CRAFTSMAN**




**5 PANEL  
ROCKPORT**




**6 PANEL  
ROCKPORT**




**6 PANEL  
COLONIST**



**HARDBOARD**



**LAUAN**



**BIRCH**

# MDF SLABS



1 PANEL SHAKER  
SMOOTH



2 PANEL SHAKER  
SMOOTH



5 PANEL SHAKER  
SMOOTH



6 PANEL SHAKER  
SMOOTH

SIZE	THICKNESS	1 PANEL SHAKER SMOOTH	2 PANEL SHAKER SMOOTH	5 PANEL SHAKER SMOOTH	6 PANEL SHAKER SMOOTH
1'0 X 6'8	1-3/8"				
1'10 X 6'8	1-3/8"				
1'2 X 6'8	1-3/8"				
1'3 X 6'8	1-3/8"				
1'4 X 6'8	1-3/8"	•	•	•	
1'6 X 6'8	1-3/8"	•	•	•	
1'8 X 6'8	1-3/8"	•	•	•	
2'0 X 6'8	1-3/8"	•	•	•	
2'4 X 6'8	1-3/8"	•	•	•	
2'6 X 6'8	1-3/8"	•	•	•	
2'8 X 6'8	1-3/4"	•	•	•	
2'8 X 6'8	1-3/8"	•	•	•	
3'0 X 6'8	1-3/4"	•	•	•	
3'0 X 6'8	1-3/8"	•	•	•	
1'3 X 8'0	1-3/8"				
1'4 X 8'0	1-3/8"	•			•
1'6 X 8'0	1-3/8"	•	•		•
1'8 X 8'0	1-3/8"				
2'0 X 8'0	1-3/8"	•	•		•
2'4 X 8'0	1-3/8"	•	•		•
2'6 X 8'0	1-3/8"	•	•		•
2'8 X 8'0	1-3/4"	•	•		•
2'8 X 8'0	1-3/8"	•	•		•
3'0 X 8'0	1-3/4"	•	•		•
3'0 X 8'0	1-3/8"	•	•		•



1 LITE



5 LITE



6 LITE



10 LITE



12 LITE



15 LITE



18 LITE



6 PANEL



LOUVER / LOUVER



PANTRY  
FULLVIEW



PANTRY  
3/4 VIEW

SIZE	THICKNESS	1 LITE	5 LITE	6 LITE	10 LITE	12 LITE	15 LITE	18 LITE	6 PANEL	LVR/LVR	PANTRY FULL	PANTRY 3/4 VIEW
1'6 X 6'8	1-3/8"		•						•			
1'8 X 6'8	1-3/8"											
2'0 X 6'8	1-3/8"	•			•				•	•	•	
2'4 X 6'8	1-3/8"						•		•	•	•	
2'6 X 6'8	1-3/8"	•					•		•	•	•	
2'8 X 6'8	1-3/8"	•					•		•	•		
3'0 X 6'8	1-3/8"	•					•		•	•	•	
1'6 X 8'0	1-3/8"			•								
1'8 X 8'0	1-3/8"											
2'0 X 8'0	1-3/8"	•				•						•
2'4 X 8'0	1-3/8"					•						
2'6 X 8'0	1-3/8"	•						•				
2'8 X 8'0	1-3/8"	•						•				
3'0 X 8'0	1-3/8"	•						•				

# KNOTTY PINE

## INTERIORS




6 PANEL



2 PANEL ROUND TOP  
V-GROOVE



2 PANEL SQUARE TOP  
V-GROOVE



BARN - Z



BARN - X

SIZE	THICKNESS	6 PANEL	2 PANEL ROUND TOP V-GROOVE	2 PANEL SQUARE TOP V-GROOVE	BARN - Z	BARN - X
1'6 X 6'8	1-3/8"					
1'8 X 6'8	1-3/8"					
2'0 X 6'8	1-3/8"	•	•	•		
2'4 X 6'8	1-3/8"	•	•	•		
2'6 X 6'8	1-3/8"	•	•	•		
2'8 X 6'8	1-3/8"	•	•	•		
3'0 X 6'8	1-3/8"	•	•	•		
1'6 X 8'0	1-3/8"					
1'8 X 8'0	1-3/8"					
2'0 X 8'0	1-3/8"					
2'4 X 8'0	1-3/8"					
2'6 X 8'0	1-3/8"					
2'8 X 8'0	1-3/8"					
3'0 X 8'0	1-3/8"					
2'8 X 6'8	1-3/4"	•	•	•		
3'0 X 6'8	1-3/4"	•	•	•		
2'8 X 8'0	1-3/4"		•	•		
3'0 X 8'0	1-3/4"		•	•		
2'8 X 7'0	1-3/8"				•	•
3'0 X 7'0	1-3/8"				•	•
3'6 X 7'0	1-3/8"				•	•





**POCKET FRAME  
COMPONENT**



**POCKET FRAME  
COMPONENT SOLID**



**POCKET FRAME  
COMPONENT INSTALLED**

SOLID WALL POCKET FRAMES AVAILABLE THRU SPECIAL ORDER		
SIZE	6'8	8.0'
2'0	•	•
2'4	•	•
2'6	•	•
2'8	•	•
3'0	•	•

\* SOFT CLOSING HARDWARE AVAILABLE AND SOLD SEPARATELY

\* SOLID PINE FRAME FOR 2X4 WALLS

\* 4-9/16" FJ FACE JAMB

ROUGH OPENINGS	
2068	50-1/2 X 83-7/8
2468	58-1/2 X 83-7/8
2668	62-1/2 X 83-7/8
2868	66-1/2 X 83-7/8
3068	74-1/2 X 83-7/8
2080	50-1/2 X 99-7/8
2480	58-1/2 X 99-7/8
2680	62-1/2 X 99-7/8
2880	66-1/2 X 99-7/8
3080	74-1/2 X 99-7/8






DOOR & MILLWORK

# EXTERIOR DOORS

# FIBERGLASS DOORS

## OPAQUE SLABS



**FLUSH**

\*SMOOTH, TEXTURED



**2 PANEL SQUARE**

\*SMOOTH



**2 PANEL CHEYENNE**

\*SMOOTH, TEXTURED



**6 PANEL**

\*SMOOTH, TEXTURED

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

**\*AVAILABLE OPTIONS**

MATERIAL	SIZE	FLUSH	2 PANEL SQUARE	2 PANEL CHEYENNE	6 PANEL
FIBERGLASS	2'0 X 6'8	◇			
FIBERGLASS	2'6 X 6'8	•			◇
FIBERGLASS	2'8 X 6'8	•	•	•	•
FIBERGLASS	2'10X6'5				
FIBERGLASS	3'0 X 6'8	•	•	•	•
FIBERGLASS SIDELITE	1'2 X 6'8				
FIBERGLASS SIDELITE	1'0 X 6'8				
FIBERGLASS	2'6 X 8'0	◇			
FIBERGLASS	2'8 X 8'0	•		•	•
FIBERGLASS	3'0 X 8'0	•	•	•	•
FIBERGLASS SIDELITE	1'0 X 8'0				

◇ TEXTURED OPTION ONLY

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS





Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

**\*AVAILABLE OPTIONS**


MATERIAL	SIZE	GLASS	FAN LITE	1 LITE SPOT LITE	2 LITE SQ SPOT LITE	4 LITE HORIZ SPOT LITE	5 LITE HORIZ SPOT LITE	HV	HV CHEYENNE	HV VENT LITE	HV VENT LITE CHEYENNE	3/4 VIEW MAHOGANY	3/4 VIEW	FULL VIEW	FULL OVAL	SL HV	SL 3/4V	SL FV
FIBERGLASS	2'0" X 6'8"	1-3/4"												◇				
FIBERGLASS	2'6" X 6'8"	1-3/4"			◇			◇						•				
FIBERGLASS	2'8" X 6'8"	1-3/4"	◇	◇	•	•	•	•	•	•	•			•	•			
FIBERGLASS	2'10" X 6'5"	1-3/4"												•				
FIBERGLASS	3'0" X 6'8"	1-3/4"	•	•	•	•	•	•	•	•	•	◇	•	•	•			
FIBERGLASS SIDELITE	1'2" X 6'8"	1-3/4"														•	•	•
FIBERGLASS SIDELITE	1'0" X 6'8"	1-3/4"														•	•	•
FIBERGLASS	2'6" X 8'0"	1-3/4"												•				
FIBERGLASS	2'8" X 8'0"	1-3/4"		•	•	•	•	•	•					•				
FIBERGLASS	3'0" X 8'0"	1-3/4"		•	•	•	•	•	•			◇	•	•				
FIBERGLASS SIDELITE	1'0" X 8'0"	1-3/4"														◇	◇	

◇ TEXTURED OPTION ONLY

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# FIBERGLASS DOORS

## BLINDS



**HALFVIEW  
MINIBLIND**

\*SMOOTH, TEXTURED



**HALFVIEW  
MINIBLIND  
CHEYENNE**

\*SMOOTH



**3/4 VIEW  
MINIBLIND**

\*SMOOTH



**3/4 VIEW  
MINIBLIND  
MAHOGANY**

\*TEXTURED



**FULLVIEW  
MINIBLIND**

\*SMOOTH, TEXTURED



**15 LITE  
FULLVIEW  
MINIBLIND**

\*SMOOTH, TEXTURED

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

\*AVAILABLE OPTIONS

MATERIAL	SIZE	GLASS	HALFVIEW MINIBLIND	HALFVIEW MINIBLIND CHEYENNE	3/4 VIEW MINIBLIND	3/4 VIEW MINIBLIND MAHOGANY	FULLVIEW MINIBLIND	15 LITE FULLVIEW MINIBLIND
FIBERGLASS	2'0 X 6'8	1-3/4"						
FIBERGLASS	2'6 X 6'8	1-3/4"					•	•
FIBERGLASS	2'8 X 6'8	1-3/4"	•	•			•	•
FIBERGLASS	2'10X6'5	1-3/4"					•	•
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	◇	•	•
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"						
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"						
FIBERGLASS	2'6 X 8'0	1-3/4"						
FIBERGLASS	2'8 X 8'0	1-3/4"	•				•	
FIBERGLASS	3'0 X 8'0	1-3/4"	•		•	◇	•	
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"						

◇ TEXTURED OPTION ONLY

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS



**FAN LITE**  
\*SMOOTH, TEXTURED




**6 LITE CRAFTSMAN**  
\*SMOOTH



**9 LITE HALFVIEW**  
\*SMOOTH, TEXTURED



**9 LITE HALFVIEW CHEYENNE**  
\*SMOOTH



**12 LITE HALFVIEW 8'**  
\*SMOOTH, TEXTURED




**12 LITE 3/4 VIEW**  
\*SMOOTH



**12 LITE 3/4 8' MAHOGANY**  
\*TEXTURED




**15 LITE 3/4 VIEW 8'**  
\*SMOOTH




**15 LITE 3/4 VIEW MAHOGANY 8'**  
\*TEXTURED



**10 LITE FULLVIEW**  
\*SMOOTH, TEXTURED



**15 LITE FULLVIEW**  
\*SMOOTH, TEXTURED



**SIDELITE 3 LITE HALFVIEW**  
\*SMOOTH, TEXTURED



**SIDELITE 4 LITE 3/4 VIEW**  
\*SMOOTH, TEXTURED



**SIDELITE 5 LITE FULLVIEW**  
\*SMOOTH, TEXTURED

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

**\*AVAILABLE OPTIONS**

MATERIAL	SIZE	GLASS	FAN LITE	6 LITE CRAFTSMAN	9 LITE HALF VIEW	9 LITE HV CHEYENNE	12 LITE HV 8'	12 LITE 3/4 VIEW	12 LITE 3/4 VIEW 8' MAHOGANY	15 LITE 3/4 VIEW 8'	15 LITE 3/4 VIEW MAHOGANY	10 LITE FV	15 LITE FV	SL 3 LITE HV	SL 4 LITE 3/4 V	SL 5 LITE FV
FIBERGLASS	2'0 X 6'8	1-3/4"										◇	◇			
FIBERGLASS	2'6 X 6'8	1-3/4"										•	•			
FIBERGLASS	2'8 X 6'8	1-3/4"	◇		•	•						•	•			
FIBERGLASS	2'10X6'5	1-3/4"										•	•			
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	•		•	•			•	•			
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"												•	•	•
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"												•	•	•
FIBERGLASS	2'6 X 8'0	1-3/4"														
FIBERGLASS	2'8 X 8'0	1-3/4"					•									
FIBERGLASS	3'0 X 8'0	1-3/4"		•			•			•	•					
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"												+	±	

◇ TEXTURED OPTION ONLY

+ 1080 HV AVAILABLE IN 4LT

± 1080 3/4 V AVAILABLE IN 5LT

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS


# FIBERGLASS DOORS

## INTERNAL GRIDS



5 LITE FAN LITE

\*SMOOTH, TEXTURED




9 LITE HALFVIEW

\*SMOOTH



9 LITE HALFVIEW  
CHEYENNE

\*SMOOTH




9 LITE (BRONZE)  
HALFVIEW

\*SMOOTH, TEXTURED




9 LITE (BRONZE)  
HALFVIEW CHEYENNE

\*SMOOTH




12 LITE  
HALFVIEW

\*SMOOTH, TEXTURED




12 LITE 3/4 VIEW  
MAHOGANY

\*TEXTURED



15 LITE 3/4 VIEW

\*SMOOTH



15 LITE 3/4 VIEW  
MAHOGANY 8'

\*TEXTURED

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

\*AVAILABLE OPTIONS

MATERIAL	SIZE	GLASS	5 LITE FAN LITE	9 LITE HV	9 LITE HV CHEYENNE	9 LITE (BRONZE) HALFVIEW	9 LITE (BRONZE) HALFVIEW CHEYENNE	12 LITE HALFVIEW	12 LITE 3/4 VIEW MAHOGANY	12 LITE 3/4 VIEW	15 LITE 3/4 VIEW MAHOGANY
FIBERGLASS	2'0 X 6'8	1-3/4"									
FIBERGLASS	2'6 X 6'8	1-3/4"									
FIBERGLASS	2'8 X 6'8	1-3/4"	◇	•	•	•	•				
FIBERGLASS	2'10 X 6'5	1-3/4"									
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	•	•		◇	•	
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"									
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"									
FIBERGLASS	2'6 X 8'0	1-3/4"									
FIBERGLASS	2'8 X 8'0	1-3/4"						•			
FIBERGLASS	3'0 X 8'0	1-3/4"						•			◇
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"									


SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

◇ TEXTURED OPTION ONLY





**15 LITE (BRONZE) 3/4  
VIEW MAHOGANY 8'**  
\*TEXTURED



**15 LITE  
3/4 VIEW 8'**  
\*SMOOTH



**15 LITE (BRONZE)  
3/4 VIEW 8'**  
\*SMOOTH



**10 LITE  
FULLVIEW**  
\*SMOOTH, TEXTURED



**15 LITE  
FULLVIEW**  
\*SMOOTH, TEXTURED



**15 LITE (BRONZE)  
FULLVIEW**  
\*SMOOTH, TEXTURED



**SIDELITE 3 LITE  
HALFWIEW**  
\*SMOOTH, TEXTURED



**SIDELITE 5 LITE  
FULLVIEW**  
\*SMOOTH, TEXTURED

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

**\*AVAILABLE OPTIONS**

MATERIAL	SIZE	GLASS	15 LITE (BRONZE) 3/4 VIEW MAHOGANY 8'	15 LITE 3/4 VIEW 8'	15 LITE (BRONZE) 3/4 VIEW 8'	10 LITE FULLVIEW	15 LITE FULLVIEW	15 LITE (BRONZE) FULLVIEW	SIDELITE 3 LITE HV	SIDELITE 5 LITE FV
FIBERGLASS	2'0 X 6'8	1-3/4"								
FIBERGLASS	2'6 X 6'8	1-3/4"								
FIBERGLASS	2'8 X 6'8	1-3/4"				•	•	•		
FIBERGLASS	2'10X6'5	1-3/4"				•	•	•		
FIBERGLASS	3'0 X 6'8	1-3/4"				•	•	•		
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"							◇	◇
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"							•	•
FIBERGLASS	2'6 X 8'0	1-3/4"								
FIBERGLASS	2'8 X 8'0	1-3/4"								
FIBERGLASS	3'0 X 8'0	1-3/4"	•	•	•					
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"								

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

◇ TEXTURED OPTION ONLY

# FIBERGLASS DOORS

## NOUVEAU



**FAN LITE**

\*SMOOTH, TEXTURED  
±NICKEL, PATINA



**HALFVIEW**

\*SMOOTH, TEXTURED  
±NICKEL, PATINA, BRASS



**HALFVIEW  
CHEYENNE**

\*SMOOTH  
±NICKEL, PATINA, BRASS



**HALFVIEW 8'**

\*SMOOTH, TEXTURED  
±NICKEL, PATINA, BRASS




**HALFVIEW  
ROUND TOP**

\*SMOOTH, TEXTURED  
±NICKEL, BRASS



**3/4 VIEW**

\*SMOOTH  
±NICKEL, PATINA, BRASS



**3/4 VIEW  
MAHOGANY**

\*TEXTURED  
±NICKEL, PATINA, BRASS



**3/4 OVAL  
MAHOGANY**

\*TEXTURED  
±NICKEL, PATINA



**FULL OVAL**

\*SMOOTH  
±BRASS

\*AVAILABLE OPTIONS  
± AVAILABLE FINISHES

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

MATERIAL	SIZE	GLASS	FAN LITE	HALF VIEW	HALFVIEW CHEYENNE	HALFVIEW ROUND TOP	3/4 VIEW	3/4 VIEW MAHOGANY	3/4 OVAL MAHOGANY	FULL OVAL
FIBERGLASS	2'0 X 6'8	1-3/4"								
FIBERGLASS	2'6 X 6'8	1-3/4"								
FIBERGLASS	2'8 X 6'8	1-3/4"	◇	•	•	◇				•
FIBERGLASS	2'10X6'5	1-3/4"								
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	•	•	◇	◇	•
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"								
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"								
FIBERGLASS	2'6 X 8'0	1-3/4"								
FIBERGLASS	2'8 X 8'0	1-3/4"		•						
FIBERGLASS	3'0 X 8'0	1-3/4"		•						
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"								

◇ TEXTURED OPTION ONLY

+ NICKEL OPTION ONLY

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS



**HALFVIEW**  
\*SMOOTH, TEXTURED  
±NICKEL, PATINA, IRON



**HALFVIEW  
CHEYENNE**  
\*SMOOTH  
±NICKEL, PATINA, IRON



**3/4 OVAL  
MAHOGANY**  
\*TEXTURED  
±NICKEL, PATINA



**3/4 VIEW**  
\*SMOOTH  
±NICKEL, PATINA, IRON



**3/4 VIEW  
MAHOGANY**  
\*TEXTURED  
±NICKEL, PATINA, IRON



**FULLVIEW**  
\*SMOOTH, TEXTURED  
±NICKEL, PATINA, IRON



**SIDELITE HALFVIEW**  
\*SMOOTH, TEXTURED  
±IRON  
8'0 OPTION INCLUDES PATINA



**SIDELITE 3/4 VIEW**  
\*SMOOTH, TEXTURED  
±NICKEL, PATINA, IRON



**SIDELITE FULLVIEW**  
\*SMOOTH, TEXTURED  
±PATINA, IRON

\*AVAILABLE OPTIONS  
± AVAILABLE FINISHES

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.


MATERIAL	SIZE	GLASS	HALF VIEW	HALFVIEW CHEYENNE	3/4 OVAL MAHOGANY	3/4 VIEW	3/4 VIEW MAHOGANY	FULL VIEW	SIDELITE HALF VIEW	SIDELITE 3/4 VIEW	SIDELITE FULL VIEW
FIBERGLASS	2'0 X 6'8	1-3/4"									
FIBERGLASS	2'6 X 6'8	1-3/4"									
FIBERGLASS	2'8 X 6'8	1-3/4"	•	•				•			
FIBERGLASS	2'10X6'5	1-3/4"						•			
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	•	•	•			
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"							•	•	•
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"							•	•	•
FIBERGLASS	2'6 X 8'0	1-3/4"									
FIBERGLASS	2'8 X 8'0	1-3/4"	•								
FIBERGLASS	3'0 X 8'0	1-3/4"	•			•	◊				
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"							•	•	

◊ TEXTURED OPTION ONLY

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# FIBERGLASS DOORS

## MISC




**HALFVIEW  
COURTYARD 8'**  
\*SMOOTH, TEXTURED  
±IRON



**3/4 VIEW  
COURTYARD**  
\*SMOOTH  
±IRON



**3/4 VIEW COURTYARD  
MAHOGANY**  
\*TEXTURED  
±IRON



**HALFVIEW  
GRACE 8'**  
\*SMOOTH, TEXTURED  
±NICKEL



**3/4 VIEW GRACE**  
\*SMOOTH  
±NICKEL



**3/4 VIEW GRACE  
MAHOGANY**  
\*TEXTURED  
±NICKEL




**HALFVIEW  
JACINTO 8'**  
\*SMOOTH, TEXTURED  
±IRON



**3/4 VIEW  
JACINTO**  
\*SMOOTH  
±IRON



**3/4 VIEW  
JACINTO MAHOGANY**  
\*TEXTURED  
±IRON




**HALFVIEW  
ELEMENT**  
\*SMOOTH, TEXTURED  
±PATINA

Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

MATERIAL	SIZE	GLASS	HALFVIEW COURTYARD 8'	3/4 VIEW COURTYARD MAHOGANY	3/4 VIEW COURTYARD	HALF VIEW GRACE 8'	3/4 VIEW GRACE MAHOGANY	3/4 VIEW GRACE	HALF VIEW JACINTO	3/4 VIEW JACINTO	3/4 VIEW JACINTO MAHOGANY	HALF VIEW ELEMENT
FIBERGLASS	2'0 X 6'8	1-3/4"										
FIBERGLASS	2'6 X 6'8	1-3/4"										
FIBERGLASS	2'8 X 6'8	1-3/4"										•
FIBERGLASS	2'10 X 6'5	1-3/4"										
FIBERGLASS	3'0 X 6'8	1-3/4"		•	•		•	•		•	•	•
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"										
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"										
FIBERGLASS	2'6 X 8'0	1-3/4"										
FIBERGLASS	2'8 X 8'0	1-3/4"	•			•			•			
FIBERGLASS	3'0 X 8'0	1-3/4"	•			•			•			
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"										

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS




**HALFVIEW  
ELEMENT CHEYENNE**  
\*SMOOTH  
±PATINA



**HALFVIEW  
GEORGIAN**  
\*SMOOTH, TEXTURED  
±NICKEL



**HALFVIEW GEORGIAN  
CHEYENNE**  
\*SMOOTH  
±NICKEL



**HALFVIEW  
MAJESTIC**  
\*SMOOTH, TEXTURED  
±NICKEL



**HALFVIEW MAJESTIC  
CHEYENNE**  
\*SMOOTH  
±NICKEL



**FULL OVAL  
HEIRLOOM**  
\*SMOOTH, TEXTURED  
±NICKEL




**FULLVIEW  
HEIRLOOM**  
\*SMOOTH, TEXTURED  
±NICKEL



**3/4 VIEW  
HEIRLOOM 8'**  
\*SMOOTH  
±NICKEL



**3/4 VIEW HEIRLOOM  
MAHOGANY 8'**  
\*TEXTURED  
±NICKEL



**9 LITE HALFVIEW  
PET DOOR**  
\*SMOOTH  
±NICKEL

\*AVAILABLE OPTIONS  
± AVAILABLE FINISHES


Smooth are white, ready for paint. Textured are tan oak grain, ready for finish. Mahogany grain ready for finish.

MATERIAL	SIZE	GLASS	HALFVIEW ELEMENT CHEYENNE	HALFVIEW GEORGIAN	HALFVIEW GEORGIAN CHEYENNE	HALFVIEW MAJESTIC	HALFVIEW MAJESTIC CHEYENNE	FULL OVAL HEIRLOOM	FULLVIEW HEIRLOOM	3/4 VIEW HEIRLOOM 8'	3/4 VIEW HEIRLOOM MAHOGANY 8'	9 LITE HALFVIEW PET DOOR
FIBERGLASS	2'0 X 6'8	1-3/4"										
FIBERGLASS	2'6 X 6'8	1-3/4"										•
FIBERGLASS	2'8 X 6'8	1-3/4"	•	•	•	•	•	•	•			•
FIBERGLASS	2'10 X 6'5	1-3/4"										•
FIBERGLASS	3'0 X 6'8	1-3/4"	•	•	•	•	•	•	•			•
FIBERGLASS SIDELITE	1'2 X 6'8	1-3/4"										
FIBERGLASS SIDELITE	1'0 X 6'8	1-3/4"										
FIBERGLASS	2'6 X 8'0	1-3/4"										
FIBERGLASS	2'8 X 8'0	1-3/4"										
FIBERGLASS	3'0 X 8'0	1-3/4"								•	•	•
FIBERGLASS SIDELITE	1'0 X 8'0	1-3/4"										

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS


# FIBERGLASS DOORS

## FLUSH GLAZED (VISTA GRANDE)



FULL VIEW  
VISTA GRANDE

3/4 VIEW VISTA  
GRANDE



CLEAR LOW-E  
VISTA GRANDE



DOUBLE WATER  
LOW-E  
VISTA GRANDE



SDL RAILS  
AVAILABLE IN  
1-1/8", 3-1/2" & 5-1/2"

MATERIAL	SIZE	GLASS	FV	3/4V 1 PNL
CLEAR LOW-E	2'0 X 6'8	1-3/4"	•	
CLEAR LOW-E	3'0 X 6'8	1-3/4"	•	SOON
CLEAR LOW-E	2'8 X 8'0	1-3/4"	•	
CLEAR LOW-E	3'0 X 8'0	1-3/4"	•	•
DOUBLE WATER	2'8 X 6'8	1-3/4"		
DOUBLE WATER	3'0 X 6'8	1-3/4"	COMING SOON	
DOUBLE WATER	2'8 X 8'0	1-3/4"		
DOUBLE WATER	3'0 X 8'0	1-3/4"		

AVAILABLE CONFIGURATIONS	
SDL BARS 8/0	SDL BARS 6/8




SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS



# FIBERGLASS DOORS

## PRE-FINISHED (SIGNAMARK)



**6 LITE  
CRAFTSMAN  
CHESTNUT  
MAHOGANY**




**3/4 VIEW  
LONESTAR  
CHESTNUT  
MAHOGANY**



**3/4 VIEW  
PORTOFINO  
CHESTNUT  
MAHOGANY**



**CENTER ARCH  
TURQUOISE  
MEDIUM OAK**




**CENTER ARCH  
TURQUOISE  
WALNUT OAK**

MATERIAL	SIZE	GLASS	CRAFTSMAN	3/4V LONE STAR	3/4V PORTOFINO	CENTER ARCH TURQUOISE MEDIUM OAK	CENTER ARCH TURQUOISE WALNUT OAK
FIBERGLASS	3'0" X 6'8"	1-3/4"	•	•	•	•	•

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# METAL DOORS


## OPAQUE SLABS



FLUSH  
NO BORE



2 PANEL  
CAMBER PLANK



2 PANEL  
CAMBER TOP



3 PANEL  
CRAFTSMAN



4 PANEL  
BLANK TOP



6 PANEL

MATERIAL	SIZE	FLUSH NO BORE	2 PANEL CAMBER PLANK	2 PANEL CAMBER TOP	3 PANEL CRAFTSMAN	4 PANEL BLANK TOP	6 PANEL
STEEL	2'0 X 6'8	•					
STEEL	2'4 X 6'8	•					
STEEL	2'6 X 6'8	•					•
STEEL	2'8 X 6'8	•	•	•	•	•	•
STEEL	2'10 X 6'8	•					•
STEEL	2'10X6'5						
STEEL	3'0 X 6'8	•	•	•	•	•	•
STEEL	3'6 X 6'8	•					
STEEL SIDELITE	1'2 X 6'8	•					
STEEL SIDELITE	1'0 X 6'8	•					
STEEL	2'0 X 8'0	•					
STEEL	2'6 X 8'0	•					
STEEL	2'8 X 8'0	•					•
STEEL	3'0 X 8'0	•					•

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS




FAN LITE




1 LITE  
SPOTLIGHT



2 LITE SQUARE  
SPOTLIGHT




4 LITE HORIZONTAL  
SPOTLIGHT



5 LITE HORIZONTAL  
SPOTLIGHT



HALFVIEW



VENT LITE



3/4 VIEW



FULL VIEW



FULL OVAL



SIDELITE  
HALFVIEW



SIDELITE  
3/4 VIEW




SL FV  
FLUSH

MATERIAL	SIZE	FAN LITE	1 LITE SPOT LIGHT	2 LITE SQUARE SPOTLIGHT	4 LITE HORIZ SPOTLIGHT	5 LITE HORIZ SPOTLIGHT	HALF VIEW	VENT LITE	3/4 VIEW	FULL VIEW	FULL OVAL	SIDELITE HV	SIDELITE 3/4 VIEW	SIDELITE FV
STEEL	2'0 X 6'8									•				
STEEL	2'4 X 6'8									•				
STEEL	2'6 X 6'8		•	•						•				
STEEL	2'8 X 6'8	•	•	•	•	•	•	•	•	•	•			
STEEL	2'10 X 6'8		•	•	•	•				•	•			
STEEL	2'10X6'5									•				
STEEL	3'0 X 6'8	•	•	•	•	•	•	•	•	•	•			
STEEL	3'6 X 6'8									•	•			
STEEL SIDELITE	1'2 X 6'8											•	•	•
STEEL SIDELITE	1'0 X 6'8											•	•	•
STEEL	2'0 X 8'0									•				
STEEL	2'6 X 8'0									•				
STEEL	2'8 X 8'0			•	•	•	•			•				
STEEL	3'0 X 8'0			•	•	•	•			•				


SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# METAL DOORS

## BLINDS



**HALFVIEW  
MINIBLIND**



**3/4 VIEW  
MINIBLIND**



**FULLVIEW  
MINIBLIND**



**15 LITE  
FULLVIEW  
MINIBLIND**



**HALFVIEW  
MINIBLIND  
WITH PET DOOR**

MATERIAL	SIZE	GLASS	HALFVIEW MINIBLIND	3/4 VIEW MINIBLIND	FULLVIEW MINIBLIND	15 LITE FULLVIEW MINIBLIND	HALFVIEW MINIBLIND WITH PET DOOR
STEEL	2'0 X 6'8	1-3/4"					
STEEL	2'4 X 6'8	1-3/4"					
STEEL	2'6 X 6'8	1-3/4"			•		
STEEL	2'8 X 6'8	1-3/4"	•	•	•	•	•
STEEL	2'10 X 6'8	1-3/4"	•		•	•	•
STEEL	2'10 X 6'5	1-3/4"			•	•	
STEEL	3'0 X 6'8	1-3/4"	•	•	•	•	•
STEEL	3'6 X 6'8	1-3/4"	•		•		
STEEL SIDELITE	1'2 X 6'8	1-3/4"					
STEEL SIDELITE	1'0 X 6'8	1-3/4"					
STEEL	2'0 X 8'0	1-3/4"					
STEEL	2'6 X 8'0	1-3/4"					
STEEL	2'8 X 8'0	1-3/4"	•		•		•
STEEL	3'0 X 8'0	1-3/4"	•		•		•

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS



MATERIAL	SIZE	GLASS	FAN LITE	6 LITE CRAFTSMAN	9 LITE HALFVIEW	12 LITE 3/4 VIEW	10 LITE FULLVIEW	15 LITE FULLVIEW	SIDELITE 3 LITE HALFVIEW	SIDELITE 4 LITE 3/4 VIEW	SIDELITE 5 LITE FULLVIEW
STEEL	2'0" X 6'8"	1-3/4"					•				
STEEL	2'4" X 6'8"	1-3/4"					•				
STEEL	2'6" X 6'8"	1-3/4"			•		•				
STEEL	2'8" X 6'8"	1-3/4"	•	•	•		•	•			
STEEL	2'10" X 6'8"	1-3/4"			•		•	•			
STEEL	2'10" X 6'5"	1-3/4"					•	•			
STEEL	3'0" X 6'8"	1-3/4"	•	•	•	•	•	•			
STEEL	3'6" X 6'8"	1-3/4"			•	•					
STEEL SIDELITE	1'2" X 6'8"	1-3/4"							•	•	•
STEEL SIDELITE	1'0" X 6'8"	1-3/4"							•	•	•
STEEL	2'0" X 8'0"	1-3/4"									
STEEL	2'6" X 8'0"	1-3/4"									
STEEL	2'8" X 8'0"	1-3/4"			◊						
STEEL	3'0" X 8'0"	1-3/4"			◊						

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS


◊ 8'0" HALFVIEW IS A 12 LITE

# METAL DOORS


## INTERNAL GRIDS




5 LITE  
FAN LITE



9 LITE  
HALFVIEW




9 LITE (BRONZE)  
HALFVIEW



12 LITE  
3/4 VIEW



12 LITE  
HALFVIEW



10 LITE  
FULLVIEW



15 LITE  
FULLVIEW



15 LITE (BRONZE)  
FULLVIEW



SIDELITE 3 LITE  
HALFVIEW



SIDELITE 5 LITE  
FULLVIEW

MATERIAL	SIZE	GLASS	5 LITE FAN LITE	9 LITE HALF VIEW	9 LITE (BRONZE) HALFVIEW	12 LITE 3/4 VIEW	12 LITE HALFVIEW	10 LITE FULL VIEW	15 LITE FULL VIEW	15 LITE (BRONZE) FULLVIEW	SIDELITE 3 LITE HALFVIEW	SIDELITE 5 LITE FULLVIEW
STEEL	2'0 X 6'8	1-3/4"						•				
STEEL	2'4 X 6'8	1-3/4"						•				
STEEL	2'6 X 6'8	1-3/4"		•	•			•				
STEEL	2'8 X 6'8	1-3/4"	•	•	•			•	•	•		
STEEL	2'10 X 6'8	1-3/4"		•	•			•	•	•		
STEEL	2'10X6'5	1-3/4"						•	•	•		
STEEL	3'0 X 6'8	1-3/4"	•	•	•	•		•	•	•		
STEEL	3'6 X 6'8	1-3/4"										
STEEL SIDELITE	1'2 X 6'8	1-3/4"									•	•
STEEL SIDELITE	1'0 X 6'8	1-3/4"									•	•
STEEL	2'0 X 8'0	1-3/4"										
STEEL	2'6 X 8'0	1-3/4"										
STEEL	2'8 X 8'0	1-3/4"					•					
STEEL	3'0 X 8'0	1-3/4"					•					

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS






**FAN LITE**  
\*NICKEL, PATINA



**HALFVIEW**  
\*NICKEL, PATINA,  
BRASS



**HALFVIEW  
ROUND TOP**  
\*NICKEL, PATINA,  
BRASS



**3/4 VIEW**  
\*NICKEL, PATINA,  
BRASS



**3/4 OVAL**  
\*NICKEL, PATINA



**FULL OVAL**  
\*BRASS

\*AVAILABLE FINISHES

MATERIAL	SIZE	GLASS	FAN LITE	HALFVIEW	HALFVIEW ROUND TOP	3/4 VIEW	3/4 OVAL	FULL OVAL
STEEL	2'8 X 6'8	1-3/4"	•	•	•	•	•	•
STEEL	2'10 X 6'8	1-3/4"		•				•
STEEL	3'0 X 6'8	1-3/4"	•	•	•	•	•	•
STEEL	3'6 X 6'8	1-3/4"						
STEEL SIDELITE	1'2 X 6'8	1-3/4"						
STEEL SIDELITE	1'0 X 6'8	1-3/4"						
STEEL	2'8 X 8'0	1-3/4"		•				
STEEL	3'0 X 8'0	1-3/4"		•				


# METAL DOORS

## TEXAS STAR



**3/4 OVAL**

\*NICKEL, PATINA




**HALFVIEW**

\*NICKEL, PATINA,  
IRON



**3/4 VIEW**

\*NICKEL, PATINA,  
IRON



**FULLVIEW**

\*NICKEL, PATINA,  
IRON



**SIDELITE  
HALFVIEW**

\*IRON



**SIDELITE  
3/4 VIEW**

\*NICKEL, PATINA,  
IRON



**SIDELITE  
FULLVIEW**

\*PATINA, IRON

\*AVAILABLE FINISHES

MATERIAL	SIZE	GLASS	3/4 OVAL	HALFVIEW	3/4 VIEW	FULLVIEW	SIDELITE HALFVIEW	SIDELITE 3/4 VIEW	SIDELITE FULLVIEW
STEEL	2'8 X 6'8	1-3/4"	•	•	•	•			
STEEL	2'10 X 6'8	1-3/4"		•					
STEEL	3'0 X 6'8	1-3/4"	•	•	•	•			
STEEL	3'6 X 6'8	1-3/4"							
STEEL SIDELITE	1'2 X 6'8	1-3/4"					•	•	•
STEEL SIDELITE	1'0 X 6'8	1-3/4"					•	•	•
STEEL	2'8 X 8'0	1-3/4"		•					
STEEL	3'0 X 8'0	1-3/4"		•					

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS



**3/4 VIEW  
COURTYARD**

\*IRON



**3/4 VIEW  
GRACE**

\*NICKEL




**3/4 VIEW  
JACINTO**

\*IRON




**HALFVIEW  
ELEMENT**

\*PATINA




**9 LITE  
HALFVIEW PET  
DOOR**



**HALFVIEW  
GEORGIAN**

\*IRON



**HALFVIEW  
MAJESTIC**

\*NICKEL



**FULLVIEW OVAL  
HEIRLOOM**

\*NICKEL



**FULLVIEW  
HEIRLOOM**

\*NICKEL


\*AVAILABLE FINISHES

MATERIAL	SIZE	GLASS	3/4 VIEW COURTYARD	3/4 VIEW GRACE	3/4 VIEW JACINTO	HALFVIEW ELEMENT	HALFVIEW GEORGIAN	HALFVIEW MAJESTIC	FULLVIEW OVAL HEIRLOOM	FULLVIEW HEIRLOOM	9 LITE HALFVIEW PET DOOR
STEEL	2'8 X 6'8	1-3/4"	•	•	•	•	•	•	•	•	•
STEEL	2'10 X 6'8	1-3/4"							•	•	•
STEEL	3'0 X 6'8	1-3/4"	•	•	•	•	•	•	•	•	•
STEEL	3'6 X 6'8	1-3/4"								•	•
STEEL SIDELITE	1'2 X 6'8	1-3/4"									
STEEL SIDELITE	1'0 X 6'8	1-3/4"									
STEEL	2'8 X 8'0	1-3/4"									•
STEEL	3'0 X 8'0	1-3/4"									•

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# WOOD DOORS

## MAHOGANY/KNOTTY ALDER



2 PANEL ARCH TOP  
V-GROOVE (INTERIOR)

\*KNOTTY ALDER ONLY



6 LITE LOW E  
CRAFTSMAN

\*MAHOGANY, KNOTTY ALDER



4 LITE LOW E  
3/4 VIEW

\*MAHOGANY ONLY



4 LITE LOW E  
3/4 VIEW 8'

\*MAHOGANY ONLY



6 LITE LOW E  
3/4 VIEW

\*MAHOGANY ONLY



6 LITE LOW E  
3/4 VIEW 8'

\*MAHOGANY ONLY



MAHOGANY 615.8'0

\*MAHOGANY, KNOTTY ALDER



MAHOGANY 623.8'0

\*MAHOGANY, KNOTTY ALDER



MAHOGANY 837.8'0

\*MAHOGANY, KNOTTY ALDER



MAHOGANY 616.8'0

\*MAHOGANY, KNOTTY ALDER



MAHOGANY 615.6'8

\*MAHOGANY, KNOTTY ALDER



MAHOGANY 623.6'8

\*MAHOGANY, KNOTTY ALDER

TYPE	SIZE	THICKNESS	2 PANEL ARCH TOP V-GROOVE	6 LITE LOW E CRAFTSMAN	4 LITE LOW E 3/4 VIEW	6 LITE LOW E 3/4 VIEW	MAHOGANY 615.8'0	MAHOGANY 623.8'0	MAHOGANY 837.8'0	MAHOGANY 616.8'0
INT	1'6 X 6'8	1-3/8"	•							
INT	1'8 X 6'8	1-3/8"	•							
INT	2'0 X 6'8	1-3/8"	•							
INT	2'4 X 6'8	1-3/8"	•							
INT	2'6 X 6'8	1-3/8"	•							
INT	2'8 X 6'8	1-3/8"	•							
INT	3'0 X 6'8	1-3/8"	•							
INT	1'6 X 8'0	1-3/8"	•							
INT	1'8 X 8'0	1-3/8"								
INT	2'0 X 8'0	1-3/8"	•							
INT	2'4 X 8'0	1-3/8"	•							
INT	2'6 X 8'0	1-3/8"	•							
INT	2'8 X 8'0	1-3/8"	•							
INT	3'0 X 8'0	1-3/8"	•							
EXT	3'0 X 6'8	1-3/4"	•	•	•	•	•	•	•	•
EXT	3'0 X 8'0	1-3/4"	•	•	•	•	•	•	•	•

SEE PAGE 48 FOR SINGLE, DOUBLE, SIDELITE AND PATIO CONFIGURATIONS

# WOOD DOORS

## MAHOGANY/KNOTTY ALDER



**MAHOGANY 837.6'8**

\*MAHOGANY, KNOTTY ALDER



**MAHOGANY 616.6'8**

\*MAHOGANY, KNOTTY ALDER



**MAHOGANY 84.8'0**

\*MAHOGANY, KNOTTY ALDER

### GLASS OPTIONS FOR IRON GRILLE DOORS



**AQUATEX**



**COTSWOLD**



**FLEMISH**



**REEDED**



**MAHOGANY 3055.8'0**

\*MAHOGANY, KNOTTY ALDER



**KNOTTY ALDER 84.6'8**

\*MAHOGANY, KNOTTY ALDER



**KNOTTY ALDER 3055.6'8**

\*MAHOGANY, KNOTTY ALDER

TYPE	SIZE	THICKNESS	MAHOGANY 615.6'8	MAHOGANY 623.6'8	MAHOGANY 837.6'8	MAHOGANY 616.6'8	MAHOGANY 84.8'0	MAHOGANY 3055.8'0	KNOTTY ALDER 84.6'8	KNOTTY ALDER 3055.6'8
EXT	3'0 X 6'8	1-3/4"	•	•	•	•	•	•	•	•
EXT	3'0 X 8'0	1-3/4"	•	•	•	•	•	•	•	•

# CLARITY VIEW

## SWITCHABLE GLASS



**Clarity VIEW Switchable Glass** for Entry Doors is an innovative solution designed to enhance security and convenience for residential and commercial entryways. With a simple push of the button, this switchable glass technology allows quick and seamless transition from opaque to transparent, providing instant visibility of visitors at your doorstep.

**Clarity VIEW Switchable Glass** is powered by **4 AA batteries** lasting approximately **300 days**. This eliminates the need for complex wiring installations making this feature accessible and easy to implement for homes and businesses alike.

Easily identify visitors, delivery personnel, or guests without having to open the door, enhancing security and convenience for residents and businesses.







**DOOR & MILLWORK**

# **DOOR COMPONENTS**

# DOOR COMPONENTS

## DOOR HINGE OPTIONS / VENTS



### RESIDENTIAL DOOR HINGE COLOR OPTIONS

- \* STEEL BASE MATERIAL
- \* 5/8 RADIUS CORNERS
- \* PLAIN BEARING, FIVE KNUCKLE

- \* NON-RISING REMOVABLE CAP-STYLE PIN
- \* AVAILABLE IN 3.5" & 4.0"



ZINC 2D



SATIN NICKEL



RUBBED BRONZE



BLACK 1D



BRUSHED CHROME



ANTIQUE BRASS



ANTIQUE NICKEL



STAINLESS STEEL



BRIGHT BRASS



POLISHED CHROME

### V-SLAT VENTS

ACCOMODATES 1-3/8" AND 1-3/4" DOORS



VENT KNOTTY ALDER
12X12X1-3/8 C-SLAT
12X12X1-3/4 C-SLAT
12X16X1-3/8 C-SLAT
12X16X1-3/4 C-SLAT

VENT KNOTTY ALDER
20X24X1-3/8 C-SLAT
20X24X1-3/4 C-SLAT

ALDER FRAME
12X12X1-3/8 1LT SG
12X12X1-3/4 1LT SG

VENT KNOTTY ALDER
----------------------

### WOOD DOOR ACCESSORIES



**FLORENTINE GRILLE  
BLACK**



**MADRID GRILLE  
BLACK**



**PARIS KW GRILLE BLACK**



**28" FLORENTINE STRAP**



**28" MADRID STRAP**



**SPEAKEASY DOOR STOCKED**



**1.5" ROUND  
CLAVO**



**1.5" SQUARE  
CLAVO**



### PET DOOR COMPONENT

AVAILABLE IN 4 SIZES
SMALL PET DOOR WHT
MEDIUM PET DOOR WHT
EXTRA-LRG PET DOOR WHT
SUPER-LRG PET DOOR WHT

**PET DOORS CAN BE INSTALLED ONTO ANY FLUSH BOTTOM DOOR.**

# DOOR COMPONENTS

## INTERIOR/EXTERIOR JAMBS



### INTERIOR JAMBS

INTERIOR JAMBS	SIZE	WIDTH	THICKNESS	PRIMED FJ PINE	STAIN GRADE	KNOTTY ALDER
81" BELOW DADO	6'8	4-5/8"	11/16"	•	•	
97" BELOW DADO	8'0	4-5/8"	11/16"	•	•	
81" BELOW DADO	6'8	4-7/8"	11/16"	•		
97" BELOW DADO	8'0	4-7/8"	11/16"	•		
81" BELOW DADO	6'8	6-5/8"	11/16"	•	•	
97" BELOW DADO	8'0	6-5/8"	11/16"	•	•	
81" BELOW DADO	6'8	4-5/8"	3/4"			•
97" BELOW DADO	8'0	4-5/8"	3/4"			•
81" BELOW DADO	6'8	6-5/8"	3/4"			•
97" BELOW DADO	8'0	6-5/8"	3/4"			•

- \* SOFT EDGES ON FACE OF JAMBS WITH TRIM GUIDE
- \* AVAILABLE WITH KERF STOP UPON REQUEST
- \* OPEN FRAMES AVAILABLE IN ALL SPECIES OF JAMBS
- \* SHEET ROCK RETURN FRAMES AVAILABLE UPON REQUEST



PRIMED FJ PINE



STAIN GRADE



KNOTTY ALDER



### EXTERIOR JAMBS

SIZE	WIDTH	THICKNESS	NO ROT PRIMED FJ	MAHOGANY KERF	KNOTTY ALDER KERF
6'8	4-9/16"	1-7/32"	•	•	•
8'0	4-9/16"	1-7/32"	•	•	•
6'8	6-9/16"	1-7/32"	•	•	•
8'0	6-9/16"	1-7/32"	•	•	•
6'8	5-1/8"	1-7/32"	•		
8'0	5-1/8"	1-7/32"	•		
6'8	5-3/8"	1-7/32"	•		
8'0	5-3/8"	1-7/32"	•		
6'8	9-1/16"	1-7/32"	•		
8'0	9-1/16"	1-7/32"	•		


- \* EXTENDERS AVAILABLE TO MAKE JAMBS SIZE NEEDED
- \* EXTERIOR JAMB COMPONENTS AVAILABLE IN ALL SPECIES
- \* DOUBLE RABBIT FRAMES AVAILABLE UPON REQUEST



NO ROT PRIMED




MAHOGANY STAIN GRADE



KNOTTY ALDER





**OPEN OUT SILLS**

SIZE		WIDTH	TYPE	MILL FINISH	BRONZE FINISH
24"	2'0	4-9/16"	BUMPER OO	•	•
30"	2'6	4-9/16"	BUMPER OO	•	•
32"	2'8	4-9/16"	BUMPER OO	•	•
34"	2'10	4-9/16"	BUMPER OO	•	•
36"	3'0	4-9/16"	BUMPER OO	•	•
60"	5'0	4-9/16"	BUMPER OO	•	•
64"	5'4	4-9/16"	BUMPER OO	•	•
74"	PATIO	4-9/16"	BUMPER OO		•
108"	9'0	4-9/16"	BUMPER OO	•	•
148"	12.3'	4-9/16"	BUMPER OO	•	•



**OPEN IN SILLS**

SIZE		WIDTH	TYPE	MILL FINISH	BRONZE FINISH
24"	2'0	4-9/16"	ADJ OI	•	•
30"	2'6	4-9/16"	ADJ OI	•	•
32"	2'8	4-9/16"	ADJ OI	•	•
34"	2'10	4-9/16"	ADJ OI	•	•
36"	3'0	4-9/16"	ADJ OI	•	•
60"	5'0	4-9/16"	ADJ OI		•
64"	5'4	4-9/16"	ADJ OI		•
72.5"	DOUBLE	4-9/16"	ADJ OI	•	•
74"	PATIO	4-9/16"	ADJ OI	•	•
67.5"	SIDELITE	4-9/16"	ADJ OI	•	•
148"	12.3'	4-9/16"	ADJ OI	•	•
32"	2'8	5-5/8"	ADJ OI	•	•
36"	3'0	5-5/8"	ADJ OI	•	•
72.5"	DOUBLE	5-5/8"	ADJ OI	•	•
74"	PATIO	5-5/8"	ADJ OI	•	•
67.5"	SIDELITE	5-5/8"	ADJ OI	•	•
148"	12.3'	5-5/8"	ADJ OI	•	•



**ADA SILLS**

SIZE		WIDTH	TYPE	MILL FINISH	BRONZE FINISH
24"	2'0	4-9/16"	ADJ OI	•	•
30"	2'6	4-9/16"	ADJ OI	•	•
32"	2'8	4-9/16"	ADJ OI	•	•
34"	2'10	4-9/16"	ADJ OI	•	•
36"	3'0	4-9/16"	ADJ OI	•	•

# DOOR COMPONENTS

## SILLS & SILL COMPONENTS



### REPLACEABLE DECK SILLS

SIZE	WIDTH	TYPE	MILL FINISH	BRONZE FINISH
2'8	4-9/16"	OI	•	•
3'0	4-9/16"	OI	•	•
6'0	4-9/16"	OI	•	•
2'8	6-9/16"	OI	•	•
3'0	6-9/16"	OI	•	•
6'0	6-9/16"	OI	•	•



### REPLACEABLE DECK SILLS



### WEATHERSTRIP

SIZE	WIDTH	TYPE	MILL FINISH	BRONZE FINISH
2'8	4-9/16"		•	•
6'0	4-9/16"		•	•
3'0	6-9/16"		•	•
6'0	6-9/16"		•	•

### WEATHERSTRIP

SIZE	WEATHERSTRIP	BEIGE	BRONZE
81"	JF65	•	•
97"	JF65	•	•
97"	LONG REACH	•	•



### SWEEPS

### SWEEPS

SIZE	SWEEPS	BEIGE	BRONZE
31-3/4"	FBG/MTL	•	
35-3/4"	FBG/MTL	•	
41-3/4"	FBG/MTL	•	
35-3/4"	WOOD	•	•
42"	WOOD		•
48"	WOOD	•	•



\* SILL EXTENDERS AVAILABLE IN:  
3/4", 2" & 2" FOR OO & OI ONLY

\* SILL PANS AVAILABLE FOR UP TO:  
4-9/16" UP TO 78"  
6-9/16" UP TO 78"





DOOR & MILLWORK

# DOOR INFORMATION

# SIZES & ROUGH OPENINGS

## INTERIOR DOOR UNITS



### INTERIOR DOOR UNIT SIZES & ROUGH OPENINGS

Inswing				Pocket Frame			
Call	Actual	Rough		Call	Actual	Rough	
Size	Size	Opening		Size	Size	Opening	
Single				Single			
2/06/8	25-3/4 x 81-11/16	26-3/4 x 82-1/2		2/06/8	49-1/2 x 83-3/8	50-1/2 x 83-7/8	
2/46/8	29-3/4 x 81-11/16	30-3/4 x 82-1/2		2/46/8	57-1/2 x 83-3/8	58-1/2 x 83-7/8	
2/66/8	31-3/4 x 81-11/16	32-3/4 x 82-1/2		2/66/8	61-1/2 x 83-3/8	62-1/2 x 83-7/8	
2/86/8	33-3/4 x 81-11/16	34-3/4 x 82-1/2		2/86/8	65-1/2 x 83-3/8	66-1/2 x 83-7/8	
3/06/8	37-3/4 x 81-11/16	38-3/4 x 82-1/2		3/06/8	73-1/2 x 83-3/8	74-1/2 x 83-7/8	
Ball Catch Double				Double			
4/06/8	49-7/8 x 81-11/16	50-7/8 x 82-1/2		4/06/8	97-1/2 x 83-3/8	98-1/2 x 83-1/2	
5/06/8	61-7/8 x 81-11/16	62-7/8 x 82-1/2		4/86/8	113-1/2 x 83-3/8	114-1/2 x 83-1/2	
5/46/8	65-7/8 x 81-11/16	66-7/8 x 82-1/2		5/06/8	121-1/2 x 83-3/8	122-1/2 x 83-1/2	
6/06/8	73-7/8 x 81-11/16	74-7/8 x 82-1/2		5/46/8	129-1/2 x 83-3/8	130-1/2 x 83-1/2	
T-Astragal Double				6/06/8	145-1/2 x 83-3/8	146-1/2 x 83-1/2	
4/06/8	50-1/2 x 81-11/16	51-1/2 x 82-1/2					
5/06/8	62-1/2 x 81-11/16	63-1/2 x 82-1/2					
5/46/8	66-1/2 x 81-11/16	67-1/2 x 82-1/2					
6/06/8	74-1/2 x 81-11/16	75-1/2 x 82-1/2					

For 8/0 tall units, add 16" to Heights

### EXTERIOR DOOR UNIT SIZES & ROUGH OPENINGS

#### Inswing

#### Outswing

	Call Size	Actual Size	Rough Opening	Call Size	Actual Size	Rough Opening
<b>Single</b>						
	2/0 6/8	25-1/2 x 81-3/4	26-1/2 x 82-1/2	2/0 6/8	25-1/2 x 80-3/8	26-1/2 x 81-1/8
	2/4 6/8	29-1/2 x 81-3/4	30-1/2 x 82-1/2	2/4 6/8	29-1/2 x 80-3/8	30-1/2 x 81-1/8
	2/6 6/8	31-1/2 x 81-3/4	32-1/2 x 82-1/2	2/6 6/8	31-1/2 x 80-3/8	32-1/2 x 81-1/8
	2/8 6/8	33-1/2 x 81-3/4	34-1/2 x 82-1/2	2/8 6/8	33-1/2 x 80-3/8	34-1/2 x 81-1/8
	3/0 6/8	37-1/2 x 81-3/4	38-1/2 x 82-1/2	3/0 6/8	37-1/2 x 80-3/8	38-1/2 x 81-1/8
<b>Double</b>						
	4/0 6/8	50 x 81-3/4	51 x 82-1/2	4/0 6/8	49-7/8 x 80-3/8	50-7/8 x 81-1/8
	5/0 6/8	62 x 81-3/4	63 x 82-1/2	5/0 6/8	61-7/8 x 80-3/8	62-7/8 x 81-1/8
	5/4 6/8	66 x 81-3/4	67 x 82-1/2	5/4 6/8	65-7/8 x 80-3/8	66-7/8 x 81-1/8
	6/0 6/8	74 x 81-3/4	75 x 82-1/2	6/0 6/8	73-7/8 x 80-3/8	74-7/8 x 81-1/8
<b>Patio</b>						
	4/0 6/8	50-1/4 x 81-3/4	51-1/4 x 82-1/2	4/0 6/8	50-1/4 x 80-3/8	51-1/4 x 81-1/8
	5/0 6/8	62-1/4 x 81-3/4	63-1/4 x 82-1/2	5/0 6/8	62-1/4 x 80-3/8	63-1/4 x 81-1/8
	5/4 6/8	66-1/4 x 81-3/4	67-1/4 x 82-1/2	5/4 6/8	66-1/4 x 80-3/8	67-1/4 x 81-1/8
	6/0 6/8	74-1/4 x 81-3/4	75-1/4 x 82-1/2	6/0 6/8	74-1/4 x 80-3/8	75-1/4 x 81-1/8
<b>TDI Patio</b>						
	4/0 6/8	50-3/4 x 81-3/4	51-3/4 x 82-1/2	4/0 6/8	50-3/4 x 80-3/8	51-3/4 x 81-1/8
	5/0 6/8	62-3/4 x 81-3/4	63-3/4 x 82-1/2	5/0 6/8	62-3/4 x 80-3/8	63-3/4 x 81-1/8
	5/4 6/8	66-3/4 x 81-3/4	67-3/4 x 82-1/2	5/4 6/8	66-3/4 x 80-3/8	67-3/4 x 81-1/8
	6/0 6/8	74-3/4 x 81-3/4	75-3/4 x 82-1/2	6/0 6/8	74-3/4 x 80-3/8	75-3/4 x 81-1/8
<b>Retro</b>						
	5/0 6/8	59-1/2 x 79-3/4	60x80	5/0 6/8	59-1/2 x 78-3/8	60 x 80
	6/0 6/8	71-1/2 x 79-3/4	72 x 80	6/0 6/8	71-1/2 x 78-3/8	72 x 80

For 8/0 tall units, add 16" to Heights

# DOOR HANDING GUIDE

## INSWING



### INSWING

X = Operating door O = Fixed door



















Point of Reference = Standing on the Exterior side of Unit















	Interior Exterior Single X - Right Hand		

### OUTSWING

X = Operating door    O = Fixed door

Point of Reference = Standing on the Exterior side of Unit

 Single    X - Right Hand	 Single    X - Left Hand
 Double    XX - Right Hand	 Double    XX - Left Hand
 Patio - Center Hinge OX - Right Hand	 Patio - Center Hinge XO - Left Hand
 Patio - Jamb Hinge XO - Right Hand	 Patio - Jamb Hinge OX - Left Hand
 Triple Unit - Center Operable OXO - Right Hand	 Triple Unit - Center Operable OXO - Left Hand
 Triple Unit - Single Operable OOX - Right Hand	 Triple Unit - Single Operable XOO - Left Hand
 Triple Unit - Single Operable XOO - Right Hand	 Triple Unit - Single Operable OOX - Left Hand
 Triple Unit - Double Operable XOX - Right Hand	 Triple Unit - Double Operable OXX - Left Hand
 Triple Unit - Double Operable OXX - Right Hand	 Triple Unit - Double Operable XOX - Left Hand


 Quad - Double Operable OOXX - Right Hand	 Quad - Double Operable OOXX - Left Hand
 Quad - Center Double Operable OXXO - Right Hand	 Quad - Center Double Operable OXXO - Left Hand
 Quad - Double Operable XXOO - Right Hand	 Quad - Double Operable XXOO - Left Hand
 Quad - Single Operable OOOX - Right Hand	 Quad - Single Operable OOOX - Left Hand
 Quad - Single Operable OOXO - Right Hand	 Quad - Single Operable OOXO - Left Hand
 Quad - Single Operable OXOO - Right Hand	 Quad - Single Operable OXOO - Left Hand
 Quad - Single Operable XOOO - Right Hand	 Quad - Single Operable XOOO - Left Hand

# MOLDED DOOR CUTDOWN RANGES


## JELD-WEN



### CARRARA




RANGE	
SLAB (1 PANEL)	
54-1/2"	63-1/2"
UNIT	
56-5/8"	65-5/8"
SLAB (2 PANEL)	
85-1/2"	95-1/2"
UNIT	
87-5/8"	97-5/8"




RANGE	
SLAB (1 PANEL)	
39-1/2"	47-1/1"
UNIT	
41-5/8"	49-3/4"
SLAB (1 PANEL)	
27-1/4"	38-3/4"
UNIT	
29-3/4"	40-7/8"
SLAB (2 PANEL)	
54-1/2"	79-1/2"
UNIT	
56-5/8"	81-5/8"

### ROCKPORT




RANGE	
SLAB (6 PANEL)	
84-1/4"	95-1/2"
UNIT	
86-3/8"	97-5/8"




RANGE	
SLAB (2 PANEL)	
28-7/8"	33-7/8"
SLAB (3 PANEL)	
41-1/2"	48-1/8"
SLAB (4 PANEL)	
55-3/4"	62-3/8"
SLAB (5 PANEL)	
70"	79-1/2"



## SANTA FE




RANGE	
SLAB (1 PANEL)	
55-1/2"	63-7/8"
UNIT	
57-5/8"	66"
SLAB (2 PANEL)	
84-3/4"	95-1/2"
UNIT	
86-7/8"	97-5/8"




RANGE	
SLAB (1 PANEL)	
39-1/2"	47-7/8"
UNIT	
41-5/8"	50"
SLAB (1 PANEL)	
25-1/4"	38-5/8"
UNIT	
27-3/8"	40-6/8"
SLAB (2 PANEL)	
54-1/2"	40-6/8"
UNIT	
56-5/8"	81-5/8"

## CAIMAN



RANGE	
SLAB (1 PANEL)	
53"	63-1/2"
UNIT	
55-1/8"	65-5/8"
SLAB (1 PANEL)	
87-3/4"	95-1/2"
UNIT	
89-7/8"	97-5/8"




RANGE	
SLAB (1 PANEL)	
39-1/2"	47-1/2"
UNIT	
41-5/8"	49-3/4"
SLAB (1 PANEL)	
27-1/4"	38-3/4"
UNIT	
29-3/8"	40-7/8"
SLAB (2 PANEL)	
70"	79-1/2"
UNIT	
72-1/8"	81-5/8"

# MOLDED DOOR CUTDOWN RANGES


## JELD-WEN



COLONIST




RANGE	
SLAB (4 PANEL SHORT)	
54-1/2"	63-1/2"
SLAB (4 PANEL TALL)	
71-2/8"	79-6/8"
SLAB (6 PANEL)	
88-1/2"	95-1/2"




RANGE	
SLAB (1 PANEL)	
27-1/4"	38-3/4"
SLAB (4 PANEL SHORT)	
31"	39"
SLAB (4 PANEL TALL)	
58-1/4"	66-3/4"
SLAB (6 PANEL)	
74-3/4"	79-1/2"

MADISON




RANGE	
SLAB	
84"	95-1/2"
UNIT	
86-1/8"	97-5/8"




RANGE	
SLAB	
70"	79-1/2"
UNIT	
72-1/8"	81-5/8"

## MONROE




RANGE	
SLAB (1 PANEL)	
54-3/4"	63-1/2"
UNIT	
56-7/8"	65-5/8"
SLAB (2 PANEL)	
83-1/8"	95-1/2"
UNIT	
85-2/8"	97-5/8"




RANGE	
SLAB (1 PANEL TALL)	
38-3/4"	47-1/2"
SLAB (1 PANEL SHORT)	
24-3/8"	39"
SLAB (2 PANEL)	
67-1/8"	79-1/2"

## BIRKDALE



RANGE	
SLAB (1 PANEL)	
27-1/3"	38-4/9"
SLAB (2 PANEL)	
55-1/4"	65-3/8"
SLAB (3 PANEL)	
83-1/4"	95-1/2"




RANGE	
SLAB (1 PANEL)	
24"	33-1/4"
SLAB (2 PANEL)	
44-1/2"	55-4/5"
SLAB (3 PANEL)	
67"	79-1/2"

# MOLDED DOOR CUTDOWN RANGES


## JELD-WEN



CONMORE




RANGE	
SLAB (1 PANEL)	
84-3/4"	95-1/2"
UNIT	
86-7/8"	97-5/8"




RANGE	
SLAB (1 PANEL)	
27-3/4"	36-3/8"
UNIT	
41-7/8"	50-4/7"
SLAB (1 PANEL)	
56"	64-3/4"
UNIT	
70-1/4"	79-1/2"

CAMDEN



RANGE	
SLAB ( TOP PANEL )	
46-1/8"	52-1/4"
SLAB ( BOTTOM PANEL )	
22-5/8"	31"
SLAB	
69-1/2"	79-1/2"

CRAFTSMAN III



RANGE	
SLAB ( TOP PANEL )	
19"	25-1/4"
SLAB ( BOTTOM PANEL )	
49"	58-7/8"
SLAB	
69-4/9"	79-1/2"

GLASS★CRAFT.®  
DOOR COMPANY

**SPECIAL ORDER ONLY**



### 2 Panel Speakeasy

Shown as 36" wide door, with:

- Premium or Pro Series
- Artisan Laurel Grey Distressed
- Florentine Speakeasy Grille
- Clear glass



### NP 4 Block Left

36" wide Narrow Profile door shown here with:

- 4 Block Left configuration
- Cloud Glass
- Tricorn Black paint color



### Santa Monica 4 Lite

Shown as 36" wide door, with:


- Premium or Pro Series
- Pro Metro frame glazed
- Estate Smoke finish
- Cloud glass option



### 3/4 SDL 6 Lite

Shown as 36" wide door, with:

- V-Groove panel option
- 1" wide muntin bars
- Artisan Onyx Distressed finish
- Flemish glass texture



### Craftsman 3 Panel

Shown as 36" wide Value Series Shaker style door, with:

- Shoji White Palette Collection painted finish



### Full Lite with Blinds

Shown as 36" wide Value Series door, with:

- Shoji White Palette Collection painted finish
- Clear LowE glass

\* Doors shown above are 95.25" tall, most are also available at 79.25", and in varied widths.





### 2 Panel Speakeasy

Shown as 36" wide V-Grooved Estancia Knotty Alder door, with:

- Owl Grey Traditional finish
- Seville speakeasy grille
- Rain glass



### 3/4 Lite Mahogany

36" wide Portobello Mahogany door, shown with:

- Raised moulding standard
- Slate Grey Traditional finish
- Reeds glass



### Beverly 6 Lite

36" wide Portobello Mahogany door, shown with:

- Winter Antique finish
- Water glass



### 3/4 Lite Warwick

36" wide Estancia Knotty Alder door, shown here with:

- Warwick Wrought Iron grille
- Owl Grey Traditional finish
- Antique glass



### Craftsman 4-Lite

36" wide 3 Panel Mahogany SDL door shown with:

- Forest Grey Traditional finish
- Dentil Shelf option
- Clear glass



### 6 Lite TDL

36" wide Estancia Knotty Alder door, shown here with:

- Canyon Brown finish
- Antique glass

\* Doors shown above are 96" tall, most are also available at 80", and in varied widths.



### Plank Barn Door

Shown as 36" x 96" door, with:


- Slade stainless steel hardware
- Barnwood Ranch Brown finish
- Corona pull handle



### Double Z Barn Door

Shown as 30" x 96" door, with:


- Slade hardware
- Owl Grey Distressed finish
- San Juan 24" pull handle



### Horizontal Iron Plank

Shown as 42" x 96" door, with:

- Royal hardware
- Winter Antique finish
- Vista inset pull handle



### Chevron MDF Door

Shown as 36" x 96" door, with:


- Slade stainless steel hardware
- Gale Force paint finish
- Metro 48" pull handle



### Triple X MDF Door

Shown as 36" x 96" door, with:

- Gage hardware
- Grey Clouds paint finish
- Tucson 24" pull handle



### Rustic Farmhouse Chevron 1

Shown as 42" x 96" door, with:

- Vintage hardware
- Barnwood, Riverwood, Stormy Grey, and Weathered Brown plank colors
- Gila 24" pull handle



**Contemporary Metal  
6 Lite/1 Panel**

Shown as 36" x 96" door, with:

- Gage hardware
- Clear glass option
- Door pull included



**Contemporary Metal 4 Lite**

Shown as 48" x 96" door, with:

- Gage hardware
- Cloud glass option
- Door pull included



**Contemporary Birch  
Mirror Full Lite**

Shown as 36" x 84" door, with:

- 28" x 68" Mirror
- Waggoner hardware
- Winter Antique finish
- Gila 24" pull handle



**Contemporary Birch  
Santa Monica 4 Lite**

Shown as 36" x 96" door, with:

- Slade stainless steel hardware
- Water glass option
- Canyon Brown Distressed finish
- Metro 60" pull handle



**Mahogany 6 Lite SDL**

Shown as 36" x 96" door, with:

- Slade stainless steel hardware
- Clear glass option
- Forest Grey Antique finish
- Metro 12" stainless steel pull



**Mahogany Beverly 5 Lite**

Shown as 36" x 80" door, with:

- Gage hardware
- Cloud glass option
- Owl Grey Antique finish
- Metro 12" pull handle







DOOR & MILLWORK

# PATIO DOORS



# ATRIUM (SPECIAL ORDER)

## SERIES 312 - SLIDING PATIO DOOR



### SERIES 312

#### SLIDING PATIO DOOR

- + Offered in range of sizes: 5', 6', 6'4", 8', 9', even 12'
- + Custom sizes available
- + Available in 6'8" height up to 12' wide
- + Field reversible (not available with BBG)
- + Aluminum track for moving panel
- + Easy installation in new construction applications
- + Screen comes standard\*
- + Deluxe color-matched hardware
- + Keyed lock standard

#### CUSTOM Options

- + Low-E Glass
- + Low-E Glass + Argon Gas
- + Ultra Low-E Glass + Argon Gas
- + 5/8" or 3/4" flat, 5/8" or 1" contoured, 5/8" contoured valance and distinctive diamond pattern grids available
- + 1 1/8" Simulated Divided Lite
- + Light and dark shades of oak or cherry interior wood laminate and black exterior laminate
- + Side lites; transoms and specialty shapes; upgraded, deluxe heavy-duty screen\*
- + Pet resistant screen\*
- + Brass, brushed nickel or oil rubbed bronze hardware
- + Available in 5', 6', 6'4", 8', 9', and 12' configurations



#### BLINDS Between the Glass Option

Available in 6068 with white, almond and clay vinyl, interior and exterior laminates and painted exterior colors. Blinds, operators and glass panels available in white only.

**NEW** Also available in 5068 (white only).

**NEW** black exterior laminate color shown with optional blinds between the glass (available in 6068 only).



Easy to raise, lower and tilt blinds.



Controls light and privacy.



Never needs dusting and is safe for pets and children.



Select styles and glass packages can be ordered to meet ENERGY STAR® 7 guidelines. See your Atrium Territory Sales Manager for details.



Note: Manufacturer reserves the right to substitute components as necessary for continued product improvement.  
 \* Screens are not meant to restrain a child from falling through an open window.  
 \*\* Printing process may affect color shown. Please refer to actual window sample when selecting colors.  
 \*\*\* Grid offering limited to 5/8" contoured or SDL on exterior painted windows. Only use mild, water based household cleaner on painted product and rinse immediately with water. See full cleaning instructions for details.  
 REV 11/23

PART OF THE CORNERSTONE BUILDING BRANDS FAMILY



## SERIES 332 SLIDING PATIO DOOR

- + **Easy installation** in new construction applications with built-in 4 9/16" jamb
- + **Field reversible** (6'8" height only; not available with BBG)
- + **DP-50 Rating** great for coastal applications (on 5068, 6068 and 8068 doors)
- + **Deluxe** color matched hardware
- + **Custom sizes** available
- + **Multi-Point keyed lock**
- + **Available** in 8' height
- + **Available** in 6'8" height up to 12' wide
- + **Heavy-Duty Screen** included\*
- + **Limited Lifetime Warranty**

Brick  
Mould  
J-Channel



Dual  
Point  
Lock




Foot  
Bolt  
Lock



### CUSTOM Options

- + **Low-E Glass**
- + **Low-E Glass + Argon Gas**
- + **Ultra Low-E Glass + Argon Gas**
- + 5/8" or 3/4" flat, 5/8" or 1" contoured, 1 1/8" Simulated Divided Lite grids available
- + Nine exterior painted colors, three interior wood laminates, black exterior laminate
- + Brass, brushed nickel or oil rubbed bronze hardware
- + Pet resistant screen\*

#### VINYL COLOR\*\* OPTIONS



#### PAINTED EXTERIOR COLOR\*\* OPTIONS




#### WOOD LAMINATE COLOR\*\* OPTIONS



NEW

#### EXTERIOR LAMINATE COLOR\*\* OPTION



### BLINDS Between the Glass Option

Available in 6068 with white, almond and clay vinyl, interior and exterior laminates and painted exterior colors. Blinds, operators and glass panels available in white only.

**NEW** black exterior laminate color shown with optional blinds between the glass.



Easy to raise, lower and tilt blinds.



Controls light and privacy.



Never needs dusting and is safe for pets and children.




Select styles and glass packages can be ordered to meet ENERGY STAR® 7 guidelines. See your Atrium Territory Sales Manager for details.



Note: Manufacturer reserves the right to substitute components as necessary for continued product improvement.  
\* Screens are not meant to restrain a child from falling through an open window.  
\*\* Printing process may affect color shown. Please refer to actual window sample when selecting colors.  
\*\*\* Grid offering limited to 5/8" contoured or SDL on exterior or painted windows. Only use mild, water based household cleaner on painted product and rinse immediately with water. See full cleaning instructions for details.  
REV 11/23

## V2000 PATIO DOOR



MI<sup>®</sup> WINDOWS  
and DOORS

### V2000 Patio door

#### MODEL 910

Built with precision and available in a variety of colors, this sliding glass door is sure to improve the curb appeal of any home. With standard features like a warm-edge spacer system and dual-pane, tempered glass, this sliding patio door provides the perfect solution to seamlessly blend interior and exterior spaces.

### What you can expect

#### ENERGY EFFICIENCY

Our dual-pane insulated glass package options help save on heating and cooling costs while enhancing home comfort.

- In cool weather, it provides outstanding thermal performance to eliminate cold spots near windows.
- In warm weather, insulated glass reduces solar heat gain and minimizes interior glare.

#### CONVENIENCE AND STYLE

- Metal rollers with tandem ball bearings provide for smooth, effortless operation
- Aluminum roll panel track is sturdy and easy to clean
- Panel interlock helps reduce air infiltration
- Insulated double-strength tempered glass adds strength and dependability
- Optional exterior key lock increases peace-of-mind and convenience



### Engineered to perform

- Available frame styles: mounting fin, finless
- 4 3/4" frame depth
- J-channel and brickmould options available



### Energy efficient glass

Optional tempered glass adds additional strength and obscure or rain glass allows light in while protecting privacy.

GLAZING TYPE	U-VALUE	SHGC
Low-E glass	0.32	0.32
Low-E glass with grids	0.32	0.28
Argon and Low-E glass	0.28	0.32
Argon and Low-E glass with grids	0.28	0.28
HP Low-E glass	0.32	0.23
HP Low-E glass with grids	0.32	0.21
Argon and HP Low-E glass	0.28	0.23
Argon and HP Low-E glass with grids	0.28	0.21
Thermal Upgrade: Argon Low-E glass	0.28	0.32
Thermal Upgrade: Argon and Low-E glass with grids	0.28	0.28

Note: all values based on 3/4" standard dual-pane insulated glass unit unless noted otherwise

### Sizing & operation

PANELS	PANEL OPERATION View from Outside In	STANDARD SIZES		CUSTOM SIZES			
		WIDTH		WIDTH		HEIGHT	
		CODE	EXACT	MIN	MAX	MIN	MAX
2-Panel		(50)	59 5/8"	47 1/2"	95 5/8"	71"	95 1/2"
		(60)	71 5/8"				
		(80)	95 5/8"				
Field-Mulled Sidelite		(26)	29 1/4"	12"	48"	71"	95 1/2"
		(30)	35 1/4"				
		(40)	47 1/4"				
X=operating; O=stationary; S=sidelite		Available heights (6/8) 79 1/2" (8/0) 95 1/2"					

### Create a customized look

Enhance your home's spaces with a variety finish options and grid configurations.


#### FINISH OPTIONS

EXTERIOR	INTERIOR
White EXTRUSION	White EXTRUSION
Almond PAINT ◊ / EXTRUSION	Almond EXTRUSION †
Clay PAINT ◊ / EXTRUSION †	Clay EXTRUSION †
Cocoa PAINT ◊	
Cream PAINT ◊	
Forest Green PAINT ◊	
Bronze LAMINATE † / PAINT ◊	
Black Matte LAMINATE † / PAINT ◊	

#### GRID TYPES




#### HARDWARE OPTIONS



† Exterior laminate available with white interior only; has a satin finish (matte applies to black paint only)  
◊ Exterior paint not available with brickmould



## V3000 PATIO DOOR



### V3000 Patio door

MODEL 1615/1617

Available in set-up (1615) and knock-down (1617), configurations, the V3000 patio door is the ideal solution to help bring the outside in for any new home construction, remodeling, or renovation project. Numerous aesthetic options, including blinds-between-the-glass, decorative hardware, and multiple interior and exterior color choices are available. Further enhance performance by selecting the StormArmor™ impact-resistant package designed for coastal regions with rigid performance requirements.

### What you can expect

#### ENERGY EFFICIENCY

Our dual- and triple-pane insulated glass package options help save on heating and cooling costs while enhancing home comfort.

- In cool weather, it provides outstanding thermal performance to eliminate cold spots near windows.
- In warm weather, insulated glass reduces solar heat gain and minimizes interior glare.

#### CONVENIENCE AND STYLE

- Saddle sill with heavy-duty dual tandem nylon rollers provide for smooth, effortless operation
- Raised rail protects wheels from debris
- Aluminum track is sturdy and easy to clean
- Panel interlock helps reduce air infiltration
- Insulated double-strength tempered glass adds strength and dependability
- Dual-point mortised lock for enhanced safety
- Optional foot lock, security bar, and exterior key lock increases peace-of-mind and convenience



## Engineered to perform

- Available frame styles: finless, sealing fin
- 4 9/16" frame depth (5 3/8" including screen track)
- Optional StormArmor™ package includes impact-resistant glass with argon, Cardinal LoE<sup>3</sup>-366, and preserve film to protect the glass until installation is complete
- Optional DP-50 package on select configurations



## Energy efficient glass

Standard tempered glass adds additional strength and allows light in while protecting privacy.

GLAZING TYPE	U-VALUE	SHGC	STC
Argon and Low-E glass	0.29	0.28	29
Argon and Low-E glass with grids	0.29	0.25	29
Argon and HP Low-E glass	0.29	0.20	29
Argon and HP Low-E glass with grids	0.29	0.18	29
Triple-pane with argon and Low-E glass	0.25	0.24	n/a
Triple-pane with argon and Low-E glass with grids	0.27	0.22	n/a
Impact-resistant laminated glass with Argon and LoE <sup>3</sup> -366	0.33	0.20	24
Impact-resistant laminated glass with Argon , LoE <sup>3</sup> -366 with grids	0.36	0.18	24
Impact-resistant laminated glass with Argon and LoE <sup>3</sup> -340	0.33	0.14	24
Impact-resistant laminated glass with Argon , LoE <sup>3</sup> -340 with grids	0.36	0.13	24

Note: all values based on 7/8" standard dual-pane or 1" dual-pane laminated insulated glass unit unless noted otherwise

## Sizing & operation

PANELS	PANEL OPERATION View from Outside In	STANDARD SIZES		CUSTOM SIZES			
		WIDTH		WIDTH		HEIGHT	
		CODE	EXACT	MIN	MAX	MIN	MAX
2-Panel		(50)	58 7/8"	52"	96"	63"	95 1/2"
		(60)	70 7/8"				
		(80)	94 1/2"				
3-Panel		(90)	106 1/4"	80"	142"	63"	95 1/2"
		(120)	141 1 1/2"				
3-Panel*		(90)	103 1/2"	80"	139"	63"	95 1/2"
		(120)	138 1 5/8"				
4-Panel*		(100)	115 7/16"	96"	187 3/4"	63"	95 1/2"
		(120)	139 7/16"				
		(160)	186 1 1/4"				
*Available as 1617 knockdown only	X=operating; O=stationary	Available heights (68) 79 1/2" or (80) 95 1/2"		☐ = Available with StormArmor			

† Clay interior may only be combined with clay extruded exterior; not available with triple-pane glass

‡ Woodgrain interior not available with black or clay exterior

§ Blinds-between-the-glass available for dual-pane glass only; not available with StormArmor; available in white color only

\* Standard handles are color-matched to door frame; black handle is available for exterior only and must be combined with white interior handle; brushed chrome is standard on painted and laminated products

‡ XX Recessed exterior black handle standard



V3000 PATIO DOOR

See additional product and warranty information online.



## Create a customized look


Enhance your home's spaces with a variety of finish options and grid configurations.

### FINISH OPTIONS

#### EXTERIOR




#### INTERIOR



### GRID AND BLIND TYPES



### HARDWARE OPTIONS\*



### ADDITIONAL FEATURES\*



# SHOWCASE (SPECIAL ORDER)

## MULTI-PANEL SLIDING PATIO DOOR



### 623 Series Multi-Panel Sliding Patio Door



- Integral nailing fin on jambs and head; jamb size 4-9/16"
- Reinforced vertical panel
- Easy assembly saves time and effort on the job
- Easy-glide tandem ball bearing rollers on stainless steel track
- Heavy duty sliding screen
- Tempered insulating glass
- Improved weep system for superior weather performance
- Streamlined design gives better access to movable hardware
- Numerous handle and grid options



Standard stainless steel rollers and track



Legacy Style Hand Set



1/4" High

#### Internal Grid Options



3/4" Flat




5/8" Sculptured

#### Traditions® SDL (Simulated Divided Lite) Bars

- Made from solid cellular PVC
- 1-1/8" or 7/8" wide profiles
- with or without shadow bars
- Standard and custom patterns
- Color matched (on most products - contact Showcase)

#### Designer Color Choices:



#### Optional Exterior/Interior Laminates


Bronze Exterior Black Exterior Black Exterior  
Bronze Interior Black Interior White Interior



Colors shown may vary slightly from the actual color due to differences between paper printing and product production. Check with your Showcase representative if you would like a color sample. Sill colors match frames, including 2-tone.

#### 2, 3 and 4-Panel Doors:

- Up to 12' x 8' available in DP-50 Impact configurations
- Up to 16' x 10' available in Standard configurations



(Patio Door operation is always viewed from outside)

OXXO - French Sliding Door Only



\* Scan the QR Code for installation video





DOOR & MILLWORK

# PREMIUM PATIO DOORS

# NEUMA DOORS (SPECIAL ORDER)

## PATIO DOORS



**Neuma Doors** is your source for beautiful, durable fiberglass exterior doors. We offer a variety of doors including hinged, gliding, bypass gliding, and folding doors with glass options including impact for those in coastal and non-impact for those away from the coast.

With a full composite jamb and fiberglass skin, Neuma Doors are designed for better water infiltration protection than standard wood jamb doors. Built with a solid core and using LoE 366 glass standard, you get a very energy-efficient door providing better insulation against hot and cold temperatures outside.

Take a tour of our website to see more about our offerings and visit your local dealer to learn more about adding Neuma Doors to your next project.

DOWNLOAD CATALOG



[WWW.NEUMADOORS.COM](http://WWW.NEUMADOORS.COM) |

### Features and Benefits

#### ■ Sizing

- Standard sizing in 9', 12', and 15' x 8' in 3 panel Configuration.
- Standard sizing in 12', 16', and 20' x 8' in 4 panel Configuration.
- Maximum panel size is 5' x 8' or 40 sq ft.
- Maximum frame width of 3 panel door system at 15'.
- Maximum width of 4 panel door system at 20'.
- Custom sizing available.

#### ■ Frame

- KD or welded main frame.
- 7 $\frac{3}{4}$ " total width 6 $\frac{3}{4}$ " jamb depth all PVC multi-chambered profile frame system (on 3 panel).
- 10 $\frac{3}{8}$ " total width 9 $\frac{3}{8}$ " jamb depth all PVC multi-chambered profile frame system (on 4 panel).
- Integrated nail fin application with 1" or 1 $\frac{3}{8}$ " set back.
- Full length weather stripping on all 4 frame components.
- Integrated sill drainage with snap-in sill covers.

#### ■ Sash

- Fully welded vinyl sash with internal aluminum reinforcement with  $\frac{7}{8}$ " standard IG, or a 1 $\frac{1}{4}$ " triple insulated glass system.
- Many high energy-efficient glass options for the most extreme temperature sensitive regions.
- Standard glazing, Cardinal™ LoE 366® dual glazed tempered glass.
- All stiles are metal reinforced for extreme wind load resistance.
- Unique internal drainage system to minimize risk of seal failures.
- Interior glazed for better performance.


#### ■ Hardware

- Truth Nexus 2 point lock with opposing lock points.
- Anti-lock feature preventing a "false" sense of lock up.
- Flush mount handle - does not protrude into the room.
- Deep finger pocket - provides superior grip area for moving large door panels.
- Recessed thumb slide intuitive locking and unlocking of panel.
- Stainless steel roller housing and composite wheels with side adjustment, AAMA rated to carry a 500 pound panel for 10,000 cycles without change to adjustment.
- Hardware colors; white, black powder coat, and brushed chrome.

#### ■ Extruded Vinyl Colors



#### ■ Optional Exterior Coated Stocked Colors



#### ■ Optional

- Black Interior and Exterior Specialty Laminate

Featuring **WINSHIELD**




Signature

Flush Mount



## V3000 MULTI-SLIDE PATIO DOOR




MI<sup>®</sup> WINDOWS and DOORS

### V3000 Multi-slide patio door

#### MODEL 1618

Opening up to 17 feet wide, the V3000 multi-slide patio door is the ideal solution to effortlessly blend interior and exterior spaces for new home construction, remodeling, or renovation projects. Numerous aesthetic options including decorative hardware and multiple interior and exterior color choices are available.



### What you can expect

#### ENERGY EFFICIENCY

Our dual- and triple-pane insulated glass package options help save on heating and cooling costs while enhancing home comfort.

- In cool weather, it provides outstanding thermal performance to eliminate cold spots near windows.
- In warm weather, insulated glass reduces solar heat gain and minimizes interior glare.

#### CONVENIENCE AND STYLE

- Saddle sill with heavy-duty dual tandem nylon rollers provide for smooth, effortless operation
- Raised rail protects wheels from debris
- Aluminum track is sturdy and easy to clean
- Panel interlock helps reduce air infiltration
- Insulated double-strength tempered glass adds strength and dependability
- Dual-point mortised lock for enhanced safety
- Optional foot lock, security bar, and exterior key lock increases peace-of-mind and convenience

## Engineered to perform

- Available frame styles: finless, fin
- 6 7/8" frame depth
- Optional StormArmor™ package on XIX configurations
- Optional DP-50 package on select configurations



## Energy efficient glass

Standard tempered glass adds additional strength and allows light in while protecting privacy.

GLAZING TYPE	U-VALUE	SHGC
Argon and Low-E glass	0.29	0.28
Argon and Low-E glass with grids	0.29	0.25
Argon and HP Low-E glass	0.29	0.20
Argon and HP Low-E glass with grids	0.29	0.18
Triple-pane with argon and Low-E glass	0.25	0.24
Triple-pane with argon and Low-E glass with grids	0.27	0.21
Impact-resistant laminated glass with Argon and LoE <sup>3</sup> -366	0.31	0.20
Impact-resistant laminated glass with Argon , LoE <sup>3</sup> -366 with grids	0.33	0.18
Impact-resistant laminated glass with Argon and LoE <sup>3</sup> -340	0.31	0.14
Impact-resistant laminated glass with Argon , LoE <sup>3</sup> -340 with grids	0.33	0.12

Note: all values based on 7/8" standard dual-pane or 1" dual-pane laminated insulated glass unit unless noted otherwise

## Sizing & operation

PANELS	PANEL OPERATION View from Outside In	STANDARD SIZES		CUSTOM SIZES			
		WIDTH		WIDTH		HEIGHT	
		CODE	EXACT	MIN	MAX	MIN	MAX
3-Panel		(72)	86"				
		(88)	104"	80"	144"	63"	95 1/2"
		(120)	139 7/16"				
6-Panel		(140) (170)	169 1/4" 205 1/8"	160"	216"	63"	95 1/2"
X = operating; O = stationary; I = intermediate		Available heights (68) 79 1/2" (80) 95 1/2"					

\* Screens are not available on XIX configuration

\* Standard handles are color-matched to door frame; black handle is available for exterior only and must be combined with white interior handle; brushed chrome is standard on painted and laminated products

§ Blinds-between-the-glass available for dual-pane glass only; available in white color only



**V3000 MULTI-SLIDE DOOR**  
See additional product and  
warranty information online.



## Create a customized look

Enhance your home's spaces with a variety of finish options and grid configurations.

### FINISH OPTIONS

EXTERIOR	INTERIOR
White EXTRUSION	White EXTRUSION
Clay PAINT	
Cocoa PAINT	
Cream PAINT	
Forest Green PAINT	
Bronze PAINT	
Black Matte PAINT	
Silver PAINT	

### GRID TYPES



### HARDWARE OPTIONS\*



Standard

• White



Enhanced

- Brushed Chrome
- Bright Chrome
- Brass
- Black Nickel
- Black
- White

### ADDITIONAL FEATURES\*



Foot Lock

• White

**BONELLI** (SPECIAL ORDER)  
MULTI-SLIDE PATIO DOOR



**Create the true experience of indoor outdoor living with industry-leading aluminum multi-slide patio doors.**  
Our high-performance stacking multi-slide patio doors feature narrow, uniform sightlines to help you achieve your exact project vision.

**SPECIFICATIONS**

**Panel Sizes**

- Width: Min 24", Max 72"
- Height: Min 60", Max 144"

**Frame Sizes**

- Width: Min 43.5", Max 360"
- Height: Min 60", Max 144"

**Configurations**

- 2 to 5 one-way stacking panels
- Additional configurations to come

**Attachment Method**

- Block Frame

**Performance**

- PG 20
- U-factor 0.28-0.32
- SHGC 0.22

**Sills**

- Flush – 3/4"
- Performance – 1-1/2"

**Stucco Returns**

- 1"
- 1-3/8"

**Sightline**

- 2.43"

**FRAME FINISHES**



Satin  
Anodized



Black  
Anodized

**HARDWARE**

- Contemporary Pull
- Flush Handle
- Premium Adjustable Quad Rollers

**HARDWARE FINISH OPTIONS**



Satin Nickel  
(F42-R)



Matte Black  
(F9714)



## Pivot Door

Aluminum



Add timeless sophistication to your design with the true modern styling of a Bonelli aluminum pivot door. With superior performance and options for every design, our pivot door solutions achieve your design vision without compromise.



### SPECIFICATIONS

#### 5mm Insulating Glass Sizes\*

- Max: 5'x9', 4.5'x10'

#### 6mm Insulating Glass Sizes\*

- Max: 5'x8', 180lbs.

\* Larger sizes coming soon

#### Product Dimensions

- Standard: 5-1/4" bottom rail with 3-1/4" stiles and top rail
- Custom: 5-1/8" stiles and top rail

#### Configurations

- Left- or right-handed
- Interior or exterior pivot

#### Attachment Method

- Block Frame

#### Structural Performance

- DP 30

### FRAME FINISHES



Satin  
Anodized




Black  
Anodized

### HARDWARE

- Standard: 48" or 72" Ladder Pull
- Roller Catches with Deadbolt
- FritsJorgen Pivot System
- Custom: Electronic Deadbolt

### HARDWARE FINISH OPTIONS



Satin Nickel  
(F42-R)



Matte Black  
(F9714)







IRON ENVY

**IRON DOORS**





## Be the Envy of your neighborhood with a new Iron Envy door from McCoy's

**I**ron Envy offers the finest handcrafted iron doors on the market. Our skilled artisans have over 25 years of experience. Choose from our in-stock options or create a custom design to fit your own personal style.

All Iron Envy styles are available in Straight, Eyebrow and Radius top configurations. Most standard sizes are in stock and available within 5-7 Business Days. Custom ordered styles and sizes are available within 12- 14 Weeks. See your McCoy's sales associate for details and availability.



**3068 Unit**  
Dim. 39"x81" - 6" Jamb  
(Handlesets Not Included)

**3080 Unit**  
Dim. - 39"x96" - 6" Jamb  
(Handlesets Not Included)

**3680 Unit**  
Dim. - 46"x96" - 8" Jamb  
(Handlesets Not Included)



# IRON ENVY



6080 Unit / Dimensions 72"x96" – 8" Jamb (Handlesets Not Included)

All single and double doors are available in Straight Top, Eyebrow, and Full Radius styles.


#### CUSTOM DESIGNS

Let us make your door dreams a reality. We can create any size, design or configuration for your door, transom, sidelights, or wine door.

## Vision Steel

**I**ron Envy's European inspired Vision Steel line is the perfect option for any design. The ultra-slim profile allows for maximum glass viewing area.

The Vision Steel line comes standard with clear dual paned Low-E glass for maximum energy efficiency. Reflective, Sandblast, Smoke, and Tea colored glass is also available for custom orders.



Choose from our stock designs or let us create a custom "Vision" just for you.

See your McCoy's sales associate for custom orders or to see available inventory.







# COMMERCIAL DOORS

## THERE'S MORE TO TELL ...

### **GALVANNEALED STEEL**

*Our metal doors and frames are made from galvanized steel.*

#### **What's galvanized steel and why?**

We've all heard of galvanized steel. It's a process to create a corrosion resistant layer of protective zinc on steel. It's extremely common, durable, and reliable. Galvanized steel is different in that it is processed at a much higher temperature than galvanized steel. At the higher temperature, the iron in the steel combines with the projective zinc layer to create a zinc-iron alloy coating. As a result, galvanized steel is harder and stronger than galvanized steel, easier to weld and the surface is a matte finish that's more consistent and easier to paint on.



### **LITE KIT**

*We have an assortment of lite kits to choose from.*

#### **Let us know how you like the door.**


Our lite kit frames are powder coated for improved corrosion resistance compared to conventional paint finishes. Powder coating is a process where charged powder is sprayed onto the grounded frames, binding evenly to the applied surface. It's then cured to create a robust surface finish that's durable and longer-lasting than conventional paint finishes.

### **TELL HARDWARE**

*Our selection of hardware gives you the security options you need.*

#### **Rest at ease knowing the door is secure.**

Tell products are a smart way to minimize the risks of property damage and theft and help ensure safety in your modular buildings. For high-traffic, high-use applications, Tell locksets, door closers, exit devices and hardware are the right commercial solutions. Our products are proven performers, offering the ideal combination of quality, durability and security.







## SPARTAN DOORS


### ABOUT THE PRODUCT

The **Spartan Series Doors** are designed to meet the architectural requirements for hollow metal doors. This premium door construction combines the strength and dimensional stability of steel with the structural integrity of the polystyrene core. The continuous bonding of core to metal provides an attractive flat door, free of face welding marks. Windstorm Tests have proven that the Spartan door has integral high resistance to impact damage, low thermal conductivity, and high STC ratings. To meet application, specification and performance requirements, the Spartan offers a wide range of specifiable options including sizes, glass lite designs, hardware (mechanical, pneumatic, electrical) preparations and edge constructions.


**Polystyrene core system enhances the structural integrity of the door, while significantly reducing the weight.**




**86 LOCK PREP**  
Optional with face prep



**161L LOCK PREP**



**DOOR HEAD**



**HINGE PREP**



Our Spartan Doors and Frames line is proudly Made in Houston with US and global components.



TELL Manufacturing follows the same set of performance specifications as other door manufacturers, as set forth in the Steel Door Institute (SDI) requirements. And UL listed

### GENERAL NOTES

#### 1. Edge construction:

- Vertical edges (both hinge and lock) are square with a visible seam.
- Top and bottom edges are closed with inverted 18 - gage welded channels. Exterior applications require the addition of snap-in top caps to protect against the weather.

#### 2. Cores available in the Spartan Door construction:

- Polystyrene, standard, for exterior applications in cold weather conditions.
- Polyurethane option, for exterior applications in extreme weather conditions.

#### 3. Standard hardware preparations—standard mortised and reinforced for:

- Universal Hinge Preps— 4-1/2"(114mm) patented preparation which allows easy and quick field conversion from standard to heavy weight hinges.
- Locks— A multitude of standard lock preps are available. The most commonly used with a 4-7/8" (124mm) strike are 161, 61L and 86.

## SPARTAN HOLLOW METAL DOORS

### DOORS AND FRAMES

#### HOLLOW METAL

Spartan Doors and Frames are manufactured from high quality galvanized steel and are thoroughly cleaned inside and out to insure excellent corrosion resistance and paint adhesion. They come standard with a prime coat, ready to be finished.

Our Spartan Door is available in 18 and 16 gauge steel and the Spartan Frame is 16 gauge standard.




#### DOOR FEATURES

<b>Door</b>	<ul style="list-style-type: none"> <li>18 and 16 gauge Galvanized Steel</li> </ul>
<b>Paint</b>	<ul style="list-style-type: none"> <li>Prime painted standard</li> <li>Other paint colors available</li> <li>Custom colors are available, contact customer service</li> </ul>
<b>Hinge Prep</b>	<ul style="list-style-type: none"> <li>Non-handed 4-1/2" - 7 gauge hinge reinforcements, accommodates heavyweight hinges</li> </ul>
<b>Fire Rated</b>	<ul style="list-style-type: none"> <li>Up to 3 hours are certified by Underwriters Laboratories</li> </ul>
<b>Channels</b>	<ul style="list-style-type: none"> <li>16 gauge inverted top and bottom channel</li> </ul>
<b>Insulation</b>	<ul style="list-style-type: none"> <li>Polystyrene core standard</li> <li>Polyurethane option available</li> </ul>
<b>Top Cap</b>	<ul style="list-style-type: none"> <li>Installed steel cap standard</li> </ul>
<b>Closer Prep</b>	<ul style="list-style-type: none"> <li>14 gauge reinforced steel, standard</li> </ul>

The Spartan Frames are knock-down construction and are designed to be installed on standard and non-standard wall sizes over pre-finished or unfinished drywall.

#### FRAME FEATURES

<b>Frame</b>	<ul style="list-style-type: none"> <li>16 Gauge Galvanized Steel</li> <li>Knockdown construction</li> <li>Precision Mitered Corners</li> <li>Easy Installation</li> </ul>
<b>Paint</b>	<ul style="list-style-type: none"> <li>Prime painted standard</li> </ul>
<b>Closer Prep</b>	<ul style="list-style-type: none"> <li>14 gauge reinforced steel, standard</li> </ul>
<b>Fire Rated</b>	<ul style="list-style-type: none"> <li>Up to 3 hours are certified by Underwriters Laboratories</li> </ul>
<b>Closer Prep</b>	<ul style="list-style-type: none"> <li>14 gauge reinforced steel, standard</li> </ul>




**LOCKSET & DEADBOLT READY**



**CLOSER REINFORCEMENT**



**TAMPER RESISTANT HINGE**



**POLYSTYRENE INSULATED CORE**



**INVERTED TOP AND BOTTOM CHANNEL**



**STEEL CAP TOP STANDARD**


## DRYWALL FRAMES

### STANDARD FEATURES


All Spartan Drywall Frames come with adjustable compression anchors in each jamb. These anchors provide a tight rigid fit in the opening.

- 16 gauge for 1 3/4" doors
- Precision fitted corners
- Galvannealed (standard)
- 7 gauge hinge reinforcements
- Heavy duty strike reinforcements
- Universal 4 1/2" hinge prep
- Fire rated up to 1 1/2 hours.  
*Available on frame openings up to 8'-0" high and 3'-8" wide single door, 7'-4" double door.*
- Meets ANSI standards

### TYPICAL BASE AND WALL ANCHORS



STRAP ANCHOR



DIMPLE ANCHOR


## MASONRY FRAMES

### STANDARD FEATURES


All Spartan Masonry Frames come with 1/2" returns. Masonry, Wood, and Existing Opening Anchoring (E.O.A.) systems are all available.

- 16 gauge for 1 3/4" doors
- Precision fitted corners
- Galvannealed (standard)
- 7 gauge hinge reinforcements
- Heavy duty strike reinforcements
- Fire rated up to 3 hours.
- Universal 4 1/2" hinge prep
- Meets ANSI standards


### TYPICAL BASE AND WALL ANCHORS




ONE PIECE WELDED  
BASED ANCHOR




MASONRY WIRE  
ANCHOR



EXISTING OPENING  
ANCHOR (E.O.A.)



DOOR DIMENSIONS



TELL STANDARD HINGE AND LATCH LOCATIONS

HEIGHT*	Hinge			Latch
	A	B	C	E
6'8"	7-3/8"	37-5/16"	67-1/4"	39-9/16"
7'0"	7-3/8"	39-5/16"	71-1/4"	43-9/16"

Other manufacturers hinge and lock locations are available.

\*Standard undercut on doors is 3/4"

Note: 8'0" doors have a 4th hinge - bottom hinge = D (not shown)

DETAILS

- Insulated with polystyrene core
- Non-handed
- Galvannealed (standard)
- Fire rated up to 3 hours
- 7 gauge hinge reinforcements
- Reinforced 161 lock prep
- Closer reinforcement (standard)
- Meets ANSI standards
- Universal 4 1/2" hinge prep
- Inverted top and bottom channel
- Installed steel cap standard
- Available with polyurethane core

PAINT OPTIONS



NOTE: Actual colors may vary from those shown due to limitations of the printing production process.

# ABBREVIATION LEGEND

ABBREVIATION	EXTENDED DESCRIPTION
1 PNL	1 PANEL
2 PNL	2 PANEL
3 PNL	3 PANEL
4 PNL	4 PANEL
5 PNL	5 PANEL
6 PNL	6 PANEL
3LT	3 LITE
5LT	5 LITE
9LT	9 LITE
12LT	12 LITE
15LT	15 LITE
3/4V	3/4 VIEW
ADA	AMERICANS WITH DISABILITIES ACT
ADJ	ADJUSTABLE
ADJ OI	ADJUSTABLE OPEN IN
BV	BEVELED
EM	EXTERNAL MUNTIN
FBG	FIBERGLASS
FJ	FINGER-JOINT
FLT	FLAT
FV	FULLVIEW
HV	HALF VIEW
HZ	HORIZONTAL
IM	INTERNAL MUNTIN
LT	LITE
LVR	LOUVER
MINI	MINI-BLIND
MTL	METAL
OI	OPEN IN
OO	OPEN OUT
PNL	PANEL
RND	ROUND
SDL	SIMULATED DIVIDED LITE
SL	SIDELIGHT
SQ	SQUARE
V-GRV	V-GROOVE



MM072224DC